

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.





SUPERIOR FERTILIZERS

For the Lawn, Garden or Farm

(The Name ANDORRA guarantees the quality)

CANADA UNLEACHED HARD-WOOD ASHES

Are a complete fertilizer, replenishing worn-out soils, and, for the lawn or pasture, are economical and valuable. For the lawn, they are easy to handle, produce no offensive odors, are not unsightly, and, quickly leaching into the soil, the chemical properties are at once available for plant food.

Our ashes are selected only from the hard-wood districts of Canada, are carefully screened, and put in convenient packages. Apply at the rate of 1,000 to 1,500 lbs. per acre for top-dressing, or 2,000 to 2,500

lbs. for new lawns.

50-	lb. bag	100-lb. bag	200-lb. bbl.	Ton	Cars, 15 to 20 tons
F. O. B. cars \$0	85	\$1 25	\$2 00	\$18 00	At special
By wagon 1	. 00	1 50	2 50	20 00	prices

PREPARED LIME

Where soils, from constant applications of manure, are sour and need a fertilizer to sweeten them, lime is a valuable agent. It quickly puts the soil in condition to assimilate plant-food. It frees the potash, phosphoric acid and nitrogen already in the soil, and turns the nitrogen into the rich nitrates valuable for plant use.

Our prepared lime is fresh from the kilns, clean, well burnt, thoroughly decarbonized and especially prepared, so that it will go three times as far as the lump lime generally used, and is fine enough to run

through a drill. Use 500 lbs. per acre.

	100-lb hag	Ton	Cars, 12 to 25 tons
F. O. B. cars			
By wagon	. 1 25	13 00	

POTASH AND PREPARED LIME

Where potash is needed in addition to lime, this preparation will be found valuable. It contains 4% actual potash, equal to 8% of sulphate of potash, the prepared lime being used as a filler, and makes a valuable top-dresser for lawn, pasture, or grass lands. Apply at the rate of 500 lbs. per acre.

	100 lb. bag	Ton	Cars, 12 to 25 tons
F. O. B. cars		\$13 50 15 50	\$11.50 per ton.

PEAT We have on hand a stock of carefully selected peat, suitable for potting or planting Rhododendrons and shrubs that need such soil. Sack of about 100 lbs., \$1. In sacks, \$15 per ton.

SPHAGNUM MOSS

An excellent quality on hand. Large bales, \$2 each.

Andorra Nurseries

CHESTNUT HILL, PHILADELPHIA, PA.

OUR NURSERIES are extensive, covering six hundred acres, of which over three hundred are planted with trees and shrubs. They are easy of access, as Chestnut Hill is the terminus of branches of the Pennsylvania and the Philadelphia & Reading railroads, and the Chestnut Hill (City Line) trolley runs from the stations to within three minutes' walk of the Nurseries.

QUALITY.—The trees and shrubs offered are grown in open, unsheltered ground, in a very exposed situation, which insures their hardiness, and on soil admirably adapted for forming robust plants having an abundance of roots. Special attention is called to the fact that our stock is grown a good distance apart in the rows, insuring heavier trees and shrubs than are generally offered.

SHIPPING SEASON opens about March 1 in the spring and August 15 in

the fall.

INSPECTION AND FUMIGATION.—Our stock is regularly inspected and certificate will be sent with each shipment. Stock will be fumigated when requested or when the state laws require it.

TERMS AND CONDITIONS

ORDERS.—All orders are accepted subject to the following terms and conditions. Write plainly and give explicit directions as to address and mode of shipment.

STOCK SELECTED by customers at the Nurseries will be charged

according to the value of the trees chosen.

QUANTITY.—Lots of 5 and 50 will be furnished at the 10 and 100 rates respectively.

PACKING. All goods are thoroughly packed, thus avoiding risk if delayed in transit. Packing charges are made at actual cost.

FORWARDING.—Shipments will be forwarded exactly as directed; but when without instructions, we will use our best judgment and forward by shortest and safest route. We recommend all herbaceous plants be shipped by express.

RISK.—All goods are at purchaser's risk after they are delivered to the forwarding companies and we receive their receipt for the shipment in good

condition.

CLAIMS for damage while in transit must be made to the delivering company. Have delivering agent note the damaged condition on the freight

bill and present your claim through him promptly.

GUARANTEE AND CLAIMS .- All goods are guaranteed true to name, full count, up to grade, and in good condition when shipped. Any plant proving untrue to name will be replaced. Claims to receive consideration must be made within five days after receipt of goods. We give no guarantee of the life of stock.

TERMS, CASH WITH ORDER, except to persons who satisfy us as to their responsibility.

Address all orders to

ANDORRA NURSERIES

WM. WARNER HARPER, Prop.

Local and Long Distance Telephone

CHESTNUT HILL, PHILADELPHIA, PA.

Telegraphic Address CHESTNUT HILL, PHILADELPHIA Cable Address
"ANDORRA," PHILADELPHIA



Transplanting Norway Spruce

EVERGREEN TREES

	36.34	
Andread .	Cach	10
ABIES balsamea. Balsam Fir. 2 to 2½ ft	00	\$7 50
$2\frac{1}{2}$ to 3 ft\$75 per 100	50	10 00
4 to 5 ft	2 50	20 00
Canadensis. See Tsuga Canadensis		
concolor. White Pir. 3 to $3\frac{1}{2}$ ft	3 50	30 00
$3\frac{1}{2}$ to 4 ft	5 00	40 00
4 to 4½ ft		
$4\frac{1}{2}$ to 5 ft		
5 to 6 ft		
6 to 7 ft		
nobilis, var. glauca. Noble Silver Fir. 3 to 3½ ft		30 00
	50	and the same
	00	
	50	32 50
	50	42 50
		57 50
$3\frac{1}{2}$ to 4 ft		70 00
4 to $4\frac{1}{2}$ ft. Specimens		10 00
$4\frac{1}{2}$ to 5 ft. Specimens		
$5 \text{ to } 5\frac{1}{2} \text{ ft. Specimens.} \dots \dots$	00	
6 to 12 ft. Fine specimens. Prices on application.	400 A	1000
	50	10 00
4 to 5 ft		20 00
5 to 6 ft		27 50
6 to 7 ft	00	35 00
Veitchii. Veitch's Silver Fir. 5 to 6 ft	50	
BIOTA orientalis, Oriental Arborvitæ, 3 to 4 ft	00	15 00
5 to 6 ft 2	50	20 00
6 to 7 ft	50	30 00
7 to 8 ft\$5 to 7	50	
	50	
orientalis, var. aurea. 2 to 3 it	30	

	lach	10
BIOTA orientalis, var. aurea nana. 2 to 2½ ft\$	50	STATE OF THE PARTY.
orientalis, var. aurea pyramidalis. 2 to 3 ft	50	\$20 00
3 to 4 ft	50	ALC: YES
4 to 5 ft	00	
orientalis, var. compacta. Compact Chinese Arborvitæ 3 to 3½ ft	50	30 00
	00	
	00	
5 to 6 ft	50	70 00
	00	
5 to 6 ft	50	70 00
orientalis, var. elegantissima. Rollinson's Golden Ar-		
borvitæ. 3 to $3\frac{1}{2}$ ft		
3½ to 4 ft	00	
orientalis, var. filiformis; syn., Japonica. Thread-	30	
branched Arborvitæ. 2 to $2\frac{1}{2}$ ft	00	
3 to 3½ ft	50	
4 to 5 ft\$6 to 7		
orientalis, var. semperaurescens. Ever-golden Arbor-		
vitæ. 2 to 2½ ft		
$2\frac{1}{2}$ to 3 ft	50	
CEDRUS Atlantica, var. glauca. Mt. Atlas Silver Cedar—		
	50	
4 to 5 ft	00	
6 to 7 ft	50	
Deodara. Deodar, or Indian Cedar. 4 to 4½ ft		
Libani, var. Sargenti pendula. 2 ft		
	00	
4 to 4½ ft		
4 to 6 ft. Very broad and heavy. \$5 to 10	00	
pedunculata. 5 to $5\frac{1}{2}$ ft	50	
CRYPTOMERIA Japonica elegans. 5 to 6 ft		
6 to 7 ft	50	
Japonica, var. Lobbi compacta. 3 to 3½ ft		
4 to 4½ ft		
5 to 6 ft		45 00
ILEX opaca. American Holly. 1 to $1\frac{1}{2}$ ft		
JUNIPERUS Canadensis, (Spreading) Canadian Juniper—	, 00	18 50
12 to 15 in	00	9 00
15 to 18 in		12 50
18 to 24 in		
Canadensis, var. aurea; syn., Douglasi. Douglas'		
Golden Juniper. 12 to 15 in		8 50
	50	12 50
18 to 24 in. Heavy		17 50 20 00
2 x 2½ ft. Heavy		32 50
3 x 3½ ft	00	40 00
Canadensis, var. prostrata. Trailing Canadian		
Juniper. 12 to 18 in	25	10 00
18 to 24 in	00	17 50

	Each	10
JUNIPERUS Chinensis. Chinese Juniper. 3 ft	.\$2 00	\$17 50
$3\frac{1}{2}$ to 4 ft		32 50 45 00
5 to 6 ft		55 00
6 to 7 ft	. 7 50	70 00
Chinensis, var. argentea marginata. A gran	d	
hardy variety. $2\frac{1}{2}$ to 3 ft		27 50
$3\frac{1}{2}$ to 4 ft. 4 to $4\frac{1}{2}$ ft. 4		42 50 47 50
5 to 6 ft	0 7 50	1, 00
6 to 8 ft. Specimens		
Chinensis, var. aurea. Golden Chinese Juniper-		
$2\frac{1}{2}$ to 3 ft. $+$ 3 to $3\frac{1}{2}$ ft. $+$		
Chinensis, var. femina Reevesii. 2½ to 3 ft	. 2 00	
Chinensis, var. Pfitzeriana. 1½ to 2 ft		
communis. Common Upright Juniper—		
$2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots +$		13 50
4 to 5 ft		
communis, var. Hibernica. Irish Juniper.	. 5 00	
3 to 4 ft.	. 1 50	
4 to 5 ft		
communis, var. oblonga. 4 to 4½ ft	. 3 50	
communis, var. Suecica. Swedish Juniper-		
$2\frac{1}{2}$ to 3 ft. \cdots		
5 to 6 ft		
Fortunei. 3 to $3\frac{1}{2}$ ft.		
Japonica. 2 to $2\frac{1}{2}$ ft $+$ $2\frac{1}{2}$ to 3 ft $+$		
Japonica, var. aurea. Golden Japan Juniper—		
2 to $2\frac{1}{2}$ ft		
2½ to 3 ft		
$3 \text{ to } 3\frac{1}{2} \text{ ft.}$ $3\frac{1}{2} \text{ to } 4 \text{ ft.}$		37 50 47 50
4 to 4½ ft	. 7 50	1. 00
$4\frac{1}{2}$ to $\tilde{5}$ ft	.10 00	
5 to 5½ ft		
recurva. $1\frac{1}{2}$ to 2 ft	. 2 00	18 50
recurva, var. squamata. Scaly-leaved— 1½ to 2 ft	. 2 00	18 50
2 to $2\frac{1}{2}$ ft		23 50
$2\frac{1}{2}$ to $\hat{3}$ ft		28 50
rigida. 6 to 8 ft	. 7 50	
Sabina. Savin Juniper. 12 in		9 00
18 to 24 in		18 50 22 50
2 to $2\frac{1}{2}$ ft		22 30
Juniper. 1½ to 2 ft		18 50
Sabina, var. tamariscifolia. 12 to 18 in +.		13 50
Virginiana. Red, or Virginia Cedar. 3 to 3½ ft	. 1 50	13 50
$3\frac{1}{2}$ to 4 ft	. 2 50	22 50
4½ to 5 ft		32 50
υ ο το γφπ ο	0 1 00	

Each 10	
JUNIPERUS Virginiana, var. glauca. Blue Virginia Cedar—	
3 to $3\frac{1}{2}$ ft. Extra heavy	0
$\frac{4 \text{ to } 4\frac{1}{2} \text{ to } 6 \text{ to } 6 \text{ so } 552 \text{ so } 552$	
6 to 8 ft	1
As attractive in color as Koster's Blue Spruce.	
Virginiana, var. Kosteri (spreading).	0
12 to 15 in	
Virginiana, var. Leei elegantissima. Golden Vir-	
'ginian Cedar—	
$2\frac{1}{2}$ to 3 ft	
4½ to 5 ft. Extra heavy	
5 to 7 ft. Extra heavy	
Virginiana, var. pendula. 5 to 7 ft. ♦\$7.50 to 10 00	
Virginiana, var. Schotti. 3 to $3\frac{1}{2}$ ft	
4 to 5 ft	
6 to 8 ft	,0
PICEA alba. White Spruce. 2½ to 3 ft	50
$3 \text{ to } 3\frac{1}{2} \text{ ft.}$ 2 50 20 0	
$3\frac{1}{2}$ to 4 ft	
5 to 6 ft. Specimens	
6 to 9 ft. Very fine specimens	
Alcockiana. Alcock's Spruce. 2½ to 3 ft	
3 to 3½ ft	
Engelmanni. Engelmann's Spruce— 4 to 5 ft	
excelsa. Norway Spruce. 2½ to 3 ft	00
3 to 3½ ft 2 00 18 5	
$3\frac{1}{2}$ to 4 ft	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	50
5 to 6 ft. Specimens	00
6 to 7 ft. Specimens	50
7 to 12 ft. Specimens	
excelsa, var. aurea. Golden Norway Spruce. 5 to 5½ ft 5 00	
excelsa, var. inverta. Weeping Norway Spruce—	
3 ft	
4 ft	
excelsa, var. pendula. Pendulous Norway Spruce—	
3 to 3½ ft	
excelsa, var. Remonti. 2 to 2½ ft 2 50	
orientalis. Eastern Spruce. 3 to $3\frac{1}{2}$ ft	
3½ to 4 ft	00
$4\frac{5}{2}$ to 5 ft. $+$.\$7.50 to 10 00 5 to 7 ft. $+$.\$10 to 15 00	
orientalis, var. gracilis. Graceful Eastern Spruce. 3½ ft. 3 50	
pinsapo. Spanish Fir. 2 to 2½ ft 3 50 32 5	50
polita. Tiger's Tail Spruce. 4 to 6 ft 3 50 10 0	00



Doading white Times	-	1		
		ich	10	
PICEA pungens. Colorado Spruce. 2 to 2½ ft	\$2	50	\$22	50
2½ to 3 ft	3	00	27	50
3 to 3½ ft			37	50
3½ to 4 ft			45	00
4 to 5 ft				
5 to 8 ft	15	00		
pungens, var. glauca. Blue Colorado Spruce—				
$2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots + \dots$	3	00	28	00
$2\frac{1}{2}$ to 3 ft			32	50
3 to 3½ ft				
* 3½ to 4 ft				
5 to 10 ft	35	00		
Larger specimens. Prices on application.				
pungens, var. Kosteriana. Koster's Blue Colorado Spru	ce-	_		
$2 \text{ to } 2\frac{1}{2} \text{ ft.}$			32	50
2½ to 3 ft				
3^2 to $3\frac{1}{2}$ ft				
3½ to 4 ft				
4 to 7 ft. Grand specimens				
pungens, var. pendula. Weeping Blue Colorado Spruce				
3½ to 4 ft. Fine specimens		00		
4 to 4½ ft. Fine specimens				
PINUS Austriaca. Austrian Pine. 2 to 2½ ft.		50	12	50
$3\frac{1}{2}$ to 4 ft			20	00
4 to 4½ ft	3	50	32	
4½ to 5 ft		00	47	
5 to 7 ft\$6 to	C 2	00		00
Cembra, Swiss Stone Pine. 2 to 2\frac{1}{2} ft		50	22	50
2½ to 3 ft			32	
	-		37	
$3 \text{ to } 3\frac{1}{2} \text{ ft.}$	5	00	47	
3½ to 4 ft	7	50	-11	00
3 4 to 4½ ft	10	00		
5 to 6 ft	10	00		

	Each	10
PINUS excelsa. Bhotan Pine. 2 to $2\frac{1}{2}$ ft		
2½ to 3 ft		22 50
$3 \text{ to } 3\frac{1}{2} \text{ ft.} \dots$		32 50
$4 \text{ to } 4\frac{1}{2} \text{ ft.}$ $5 \text{ to } 7 \text{ ft.}$ $\$7.50 \text{ to }$	10 00	45 00
montana. Mountain Pine. $1\frac{1}{2}$ to 2 ft		13 50
2 to 2½ ft		17 50
Mughus. Dwarf Mountain Pine. 12 to 15 in		12 50
15 to 18 in		17 50
18 in	. 2 50	
ponderosa. Bull Pine. 4 to 5 ft		32 50
5 to 6 ft		37 50
rigida. Pitch Pine. 5 to 6 ft		
6 to 7 ft		
Strobus. White Pine. 15 to 18 in per 100, \$25.	. 50	4 00
2 to 2\frac{1}{2} ft	. 75	6 00
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$. 1 00	8 50
3 to $3\frac{1}{2}$ ft	. 1 50	12 58
$3\frac{1}{2}$ to 4 ft		17 50 20 00
4 to 4½ ft		27 50
5 to 6 ft		32 50
6 to 7 ft		
7 to 9 ft		
The finest and best rooted stock in this count	-	4 00
sylvestris. Scotch Pine. 1½ to 2 ft		$\frac{4}{12} \frac{00}{00}$
$2 ext{ to } 2 extstyle{rac{1}{2}} ext{ ft.} \dots \dots$		22 50
$4 \text{ to } 4\frac{1}{2} \text{ ft.}$		32 50
$4\frac{1}{2}$ to $\tilde{5}$ ft		37 50
Tanyosho (Dwarf Japanese variety)—		
$1\frac{1}{2}$ to 2 ft		
2 to 2½ ft		
PODOCARPUS Japonica. Japanese Yew. $1\frac{1}{2}$ to 2 ft 2 to $2\frac{1}{2}$ ft		27 50
PSEUDOTSUGA Douglasi. Douglas' Spruce. 3 to 4 ft		15 00
4 to $4\frac{1}{2}$ ft		22 50
$4\frac{1}{2}$ to 6 ft\$3.50 t		00
RETINOSPORA ericoides. Heath-like Japan Cypress-		
$3 \text{ to } 3\frac{1}{2} \text{ ft.} \dots$		22 50
$3\frac{1}{2}$ to 4 ft	. 3 50	32 50
filifera. Thread-branched Japan Cypress—	0.50	00 50
$egin{array}{cccccccccccccccccccccccccccccccccccc$		22 50 32 50
3 to 3½ ft	. 5 00	92 90
$3\frac{1}{2}$ to 4 ft. Specimens	. 7 50	
4 to 8 ft. Specimens	o 20 00	
filifera, var. aurea. Golden Thread-branche		
$ \begin{array}{c} \operatorname{Japan Cypress. } 1 \times 1\frac{1}{2} \operatorname{ft.} \dots \\ 2 \times 2 \operatorname{ft.} \dots \\ \bullet \end{array} $		
$2 \times 2\frac{1}{2}$ ft		
filifera, var. aurea variegata. Golden Varie		
gated Thread-branched Japan Cy	y-	
press. 4 ft	. 5 00	

	Es	ach	10)
INOSPORA leptoclada. Thuya-like Japan Cypress-				,
2½ to 3 ft	\$2	50		
$3 \text{ to } 3\frac{1}{2} \text{ ft.}$. 3	00	27	
3½ to 4 ft	. 3	50	32	50
lycopodioides. Club-moss Japan Cypress. 1½ f	t. 2			
2 ft	. 2	50		
3 to 5 ft	5 1	50		
obtusa. Obtuse-leaved Japan Cypress—	. 2	00	18	50
$2 \text{ to } 2\frac{1}{2} \text{ ft.}$ $2\frac{1}{2} \text{ to } 3 \text{ ft.}$		50	22	
$3\frac{1}{2}$ to 4 ft		50		50
$4\frac{1}{2}$ to 5 ft		00		50
5 to 6 ft	. 7	50	70	00
obtusa, var. compacta. Compact Obtuse				
leaved Japan Cypress. 2 to $2\frac{1}{2}$ ft		50	22	50
$2\frac{1}{2}$ to 3 ft		50		
obtusa, var. gracilis. Graceful Obtuse-leave		~0	00	~0
Japan Cypress. 2 to $2\frac{1}{2}$ ft		50 50	22 32	
$2\frac{1}{2}$ to 3 ft	. 5	00		50
4 to 5 ft			- 11	00
obtusa, var. nana. Dwarf Obtuse-leaved Japa		00		
Cypress. 1 ft		00	17	50
1½ ft				
2 ft		00		
$2\frac{1}{2}$ ft		00		
3 ft		00		50
3½ ft	. 15	00		00
obtusa, var. nana aurea. Dwarf Golden Ob		00		
tuse-leaved Japan Cypress—				
1½ ft	. 2	50		
4 to $4\frac{1}{2}$ ft	. 5	00		
$4\frac{1}{2}$ to $\tilde{5}$ ft. Specimens $+$. \$7.50 to				
pisifera. Pea-fruited Japan Cypress. 2 to $2\frac{1}{2}$ is				50
$\begin{array}{cccccccccccccccccccccccccccccccccccc$				50 50
4½ to 5 ft			55	00
5 to 6 ft				00
6 to 7 ft. Specimens		50)	
pisifera, var. aurea. Golden Pea-fruited Japa	n			
Cypress. $1\frac{1}{2}$ to 2 ft	. 1			
2 to $2\frac{1}{2}$ ft				00
$2\frac{1}{2}$ to 3 ft		-		50
$3 \text{ to } 3\frac{1}{2} \text{ ft.}$ $3\frac{1}{2} \text{ to } 4 \text{ ft.}$				
4 to 4½ ft		00		
5 to 6 ft. Specimens \$7.50 t	o 12	2 50)	
6 to 8 ft. Specimens \$12.50 t	o 15	00		
plumosa. Plume-like Japan Cypress. 1 ft		50		00
1½ ft				00
$\frac{1\frac{1}{2} \text{ to } 2 \text{ ft.} \dots}{2 + 2 + 2 + 2 + 2 + 2 + 2 + 2 + 2 + 2 +$				
$2 \text{ to } 2\frac{1}{2} \text{ ft.}$ $2\frac{1}{2} \text{ to } 3 \text{ ft.}$				
3½ to 4 ft. Specimens ★ \$5				
$3\frac{1}{2}$ to 4 ft. Specimens	0 12	2 50		

FRICE-LIST FOR SFRING OF 1906	11
Each	10
RETINOSPORA plumosa, var. argentea. 1½ to 2 ft\$1 00	\$9 00
$2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots 2 50$	22 50
4 to 5 ft 5 00	47 50
5 to 6 ft 7 50	70 00
plumosa, var. aurea. Golden Plume-like	
Japan Cypress. 12 in 50	4 00
12 to 18 in 75	6 00
$2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots 2 50$	22 50
$2\frac{1}{2}$ to $\bar{3}$ ft	$32 \ 50$
$ 3 \text{ to } 3\frac{1}{2} \text{ ft.} $ $ 4 00 $ $ 3\frac{1}{2} \text{ to 4 ft. Specimens.} $ $ 4 00 $	
$3\frac{1}{2}$ to 4 ft. Specimens	
4 to 4⅓ ft. Specimens	
5 to 8 ft. Specimens $+$ \$7.50 to 15 00 plumosa, var. flavescens. $2\frac{1}{2}$ to 3 ft $+$ 3 50	
plumosa, var. flavescens. $2\frac{1}{2}$ to 3 ft	
plumosa, var. sulphurea. $2\frac{1}{2}$ to 3 ft 3 50	
$3 \text{ to } 3\frac{1}{2} \text{ ft.} \dots \qquad $	
4 to 5 ft	
squarrosa. Squarrose-leaved Japan Cypress—	10.70
$1\frac{1}{2}$ to 2 ft	13 50
2 to $2\frac{1}{2}$ ft. Sheared; heavy	22 50
$2\frac{1}{2}$ to 3 ft. Sheared; heavy 3 50 3 to $3\frac{1}{2}$ ft. Sheared; heavy 5 00	30 00
$\frac{3 \text{ to } 3\frac{1}{2} \text{ it. Sheared; heavy } 500}{10000000000000000000000000000000000$	45 00
$3\frac{1}{2}$ to 4 ft. Heavy specimens	70 00
4 to $4\frac{1}{2}$ ft. Heavy specimens	90 00
$4\frac{1}{2}$ to 5 ft. Heavy specimens . \$12.50 to 15 00	
5 to 10 ft\$15 to 35 00	
This is excellent stock; exceptionally	
broad, bushy and low-branched.	
SCIADOPITYS verticillata. Umbrella Pine. 3 to $3\frac{1}{2}$ ft $+$. 6 00	
4 to 5 ft	
5 to 6 ft	
TAXUS Canadensis. Canadian Yew. 15 to 18 in 1 50	13 50
Canadensis, var. aurea. Golden Canadian Yew—	
2 ft → 2 50	$22 \ 50$
$2\frac{1}{2}$ ft	$32 \ 50$
3 ft → 5 00	47 50
$3\frac{1}{2}$ to 5 ft	
baccata. English Yew. $1\frac{1}{2}$ to 2 ft 1 50	12 50
$2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots \longrightarrow 2 00$	17 50
$2\frac{1}{2}$ to 3 ft	22 50
$3 \text{ to } 3\frac{1}{2} \text{ ft.} \dots \qquad \qquad \downarrow \dots \qquad 3 50$	32 50
$3\frac{1}{2}$ to 4 ft. Specimens	47 50
4 to 4½ ft. Specimens	
4½ to 6 it, Specimens	
baccata, var. adpressa. Adpressed Yew. 3 to 3½ it 3 50	
baccata, var. aurea. Golden English Yew-	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
baccata, var. Cheshuntensis. 3 to $3\frac{1}{2}$ ft	
2 to 2½ ft	12 50
$2 \text{ to } 2\frac{1}{2} \text{ to } 3 \text{ ft.}$	25 00
$\frac{2}{3}$ to $\frac{3}{2}$ ft	32 50
$3\frac{1}{2}$ to 4 ft. Specimens	32 00
baccata, var. Dovastoni aurea. Dovaston's Golden Yew	
3 to 3½ ft	35 00
$3\frac{1}{2}$ to 4 ft. Specimens	00 00
5 to 6 ft. Specimens	

	Ea	ch	10
TAXUS baccata, var. elegantissima. Elegant English Yew—	@ 4	00	
3 to $3\frac{1}{2}$ ft. $3\frac{1}{2}$ to $4\frac{1}{2}$ ft. $3\frac{1}{2}$ to $4\frac{1}{2}$ ft. $3\frac{1}{2}$ to $4\frac{1}{2}$ ft.	12	50	
$3\frac{1}{2}$ to $4\frac{1}{2}$ ft. $+$ \$5 to baccata, var. erecia. Erect English Yew. 2 to $2\frac{1}{2}$ ft. $+$	2	50	\$20 00
Z½ to 3 It	. 3	50	
$4\frac{1}{2}$ to 6 ft	10	00	
$2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots \dots$. 2	75	
baccata, var. erecta, Overeynder. (Form similar to Fas-	-		
tigrata). 4 to $4\frac{1}{2}$ it	6	00	55 00
$4\frac{1}{2}$ to 5 ft			72 50
baccata, var. fastigiata. Irish Yew. 1½ ft	1	50	13 50
3 ft	. 3	50	32 56
$3\frac{1}{2}$ ft	. 7	50	
4 to 6 ft. Specimens	15	00	
baccata, var. fastigiata aurea. Golden Irish Yew—	9	50	22 50
$egin{array}{cccccccccccccccccccccccccccccccccccc$			32 50
$3\frac{1}{2}$ to 4 ft	10	00	02 00
4 to 5 ft	15	00	
baccata, var. fruticosa lutea. Yellow-fruited English		~^	
Yew. 4½ to 5 ft. Specimens	7	50	
baccata, var. gracilis pendula. 3 to $3\frac{1}{2}$ ft	. S	90	
4 to 5 ft. { NEW }	10	00	
baccata, var. repandens. Spreading English Yew-			
1 to $1\frac{1}{2}$ ft. diameter			
$1\frac{1}{2}$ to 2 ft. diameter		00	
baccata, var. Washingtoni aurea. Washington's Golder English Yew. 2 to 2½ ft	2	50	
$\begin{array}{c} \text{English Few. 2 to } 2_{\frac{1}{2}} \text{ to 3 ft.} \\ \end{array}$			
3 to 4 ft			
cuspidata. Abrupt-leaved Japan Yew. 12 to 15 in.→			18 50
1½ ft	. 2		
2 ft	. 3	50 00	
cuspidata, var. brevifolia. $12 \text{ to } 15 \text{ in.}$. 2	00	18 50
1½ ft	. 2	50	10 00
2 ft	. 3	50	
2½ ft	. 5	00	07 50
cuspidata, var. capitata. 1½ to 2 ft	. 3	00	27 50
cuspidata, var. elegantissima. 3 to $3\frac{1}{2}$ ft. $+$ 4 to $4\frac{1}{2}$ ft. $+$		50 50	32 50 42 50
THUYOPSIS borealis; syn., Cupressus Nutkaensis. Yellow, or		00	12 00
Sitka Cypress—			
5 to 7 ft. Specimens	15	00	
borealis, var. latifolia glauca. Glaucous Sitka Cy		~ ~	00 70
press. 2 to $2\frac{1}{2}$ ft	2	50	$\begin{array}{cccc} 22 & 50 \\ 32 & 50 \end{array}$
$3\frac{1}{2}$ to 4 ft	7	50	32 30
borealis, var. pendula. Drooping Sitka Cypress—		,,,	
4 to 5 ft	. 3	50	
5 to 6 ft	. 4	50	
Standishi. Standish's Sitka Cypress—	jarg.	50	
6 to 7 ft	. 7	90	

THUVA occ	identalis. American Arborvitæ— Each	10
1110 111 000	2 to 2½ ft.; very heavy(+per 100, \$30)\$0 50	\$3 50
	$2\frac{1}{2}$ to 3 ft	8 00
	$3 \text{ to } 3\frac{1}{2} \text{ ft.} \dots \text{per } 100, \$75 1 25$	10 00
	3½ to 4 ftper 100, \$100 1 50	13 50
	4 to $4\frac{1}{2}$ ft; very heavyper 100, \$175 2 00	19 00
	$4\frac{1}{2}$ to 5 ft.; very heavy	22 50
	5 to $5\frac{1}{2}$ ft.; very heavy	27 50
	$5\frac{1}{2}$ to 6 ft.; very heavy	$32 \ 50$
	6 to 7 ft.; very heavy 4 00	37 50
	7 to 8 ft.; very heavy	42 50
100	8 to 9 ft. Grand specimens	
	10 to 11 ft. Grand specimens	
occ	identalis, var. aurea. George Peabody's Arborvitæ-	10.50
	$2\frac{1}{2}$ to 3 ft	13 50
	$3 \text{ to } 3\frac{1}{2} \text{ ft.} \dots 2 50$	22 50
	4 to 5 ft	37 50 45 00
700	5 to 6 ft	45 00
72	8 to 10 ft. Specimens	
occ	identalis, var. Douglasi. 4 to 5 ft 3 50	32 50
000	6 to 7 ft	02 00
000	identalis, var. globosa. Globe Arborvitæ—	
	12 to 15 in → . 1 00	8 50
	15 to 18 in	13 50
	18 to 24 in 2 50	$22 \ 50$
occ	identalis, var. Hoveyi. Hovey's Golden Arborvitæ-	
	$1\frac{1}{2}$ ft	9 00
	2 ft 1 50	13 50
	$2\frac{1}{2}$ to 3 ft. Very heavy	22 50
	3 to $3\frac{1}{2}$ ft. Very heavy	$32 \ 50$
occi	identalis, var. Lobbi. Lobb's Arborvitæ. 4 to 4½ ft 3 00	27 50
	$4\frac{1}{2}$ to 5 ft	42 50
occ	identalis, var. pyramidalis. Pyramidal Arborvitæ—	10 70
	$\frac{3 \text{ to } 3\frac{1}{2} \text{ ft.}}{21 \text{ to } 4 \text{ ft.}}$	13 50
	$3\frac{1}{2}$ to 4 ft	17 50 22 50
	4 to 5 ft	32 50
000	6 to 7 ft	32 30
000	$2\frac{1}{2}$ ft	
000	identalis, var. Tom Thumb. 1 ft	
	identalis, var. Vervaeneana. Vervæne's Arborvitæ—	
	3 ft	27 50
	$3 \text{ to } 3\frac{1}{2} \text{ ft.}$ 3 50	32 50
	$3\frac{1}{2}$ to $\tilde{4}$ ft	37 50
	$4\frac{1}{2}$ to 5 ft	42 50
	5 to 6 ft ★ 5 00	47 50
	6 to 7 ft. Specimens	
-	7 to 8 ft. Specimens	
	8 to 9 ft. Specimens	
occi	identalis, var. Wareana. Siberian Arborvitæ—	
	$2 \text{ to } 2\frac{1}{2} \text{ ft.}$ 2 50	22 50
	$\frac{3 \text{ to } 3\frac{1}{2} \text{ ft.}}{2 \text{ so } 3\frac{1}{2} \text{ ft.}}$	32 50
	4 ft	47 50
	$4\frac{1}{2}$ ft.; very heavy. $+$ 6 00 5 ft.; very heavy. $+$ 7 50	57 50 72 50
		12 00
8		
	$5\frac{1}{2}$ to 6 ft.; very heavy	

THUYA occidentalis, var. Wareana aurea. 2½ ft		50	\$22 28	50
4° to 4°_{2} ft 4°_{2} to 5 ft	. 3	50	32 42	50
TSUGA Canadensis. Hemlock. $1\frac{1}{2}$ to 2 ft	٠ _	75 00	4	00 50
$2\frac{1}{2}$ to 3 ft	. 1	25 50	10 13	00
$3\frac{1}{2}$ to 4 ft GRAND [per 100, \$160.	. 2	00 25	17	
4 to 4½ ft 4½ to 5 ft 5 to 5½ ft	. 2	50	22 27	50
$5\frac{1}{2}$ to 6 ft 6 to 10 ft. Heavy specimens\$4 to	. 3	50	32	
The finest and largest stock offered. Canadensis, var. Sargenti pendula. Weeping Hemlock.				
2 to 5 ft. Specimens	15			
6 to 7 ft. Specimens	15	00	00	
Hookeriana. Alpine Hemlock. $2\frac{1}{2}$ to 3 ft. 3 to $3\frac{1}{2}$ ft. 4 to $4\frac{1}{2}$ ft. 5 to 6 ft. \$5 to	. 3	00		50 50 50
Sieboldi, Japanese Hemlock. 3 to 4 ft				



Showing fibrous roots of hemlock



A Block of Box Bush and Evergreens

EVERGREEN SHRUBS

ANDROMEDA Catesbæi. See Leucothoë.	Each	10
floribunda. 12 in	.\$1 50	\$13 50
12 to 15 in		
2×2 ft. Specimens	.10 00	
$2\frac{1}{2} \times 2\frac{1}{2}$ ft. Specimens \bigstar . \$12.50 to	15 00	
Japonica . 12 in	. 1 25	10 00
12 to 15 in		
AZALEA amœna. 12 to 15 in.	. 1 00	8 50
15 to 18 in. Bushy		12 50
$1\frac{1}{2}$ ft. Bushy	. 2 00	17 50
2 ft Bushy	. 2 50	22 50
$2\frac{1}{2}$ ft. Specimens	. 3 50	
amœna, var. Hinondigiro. Bright carmine.		
10 to 12 in	. 1 50	13 50
BUXUS Japonica; syn., Fortunei. Japanese Box. 1 to 1½ ft	. 1 50	12 50
$1\frac{1}{2}$ to 2 ft		
Japonica, var. aurea. Golden Japanese Box-		
12 to 15 in	. 1 00	9 00
15 to 18 in	. 1 50	12 50
$1\frac{1}{2}$ ft		
2 ft	. 2 50	22 50
sempervirens. Common Box. Ball-shaped—		-
15 x 15 in	. 2 00	1
1½ x 1½ ft	. 2 50	1
2 x 2 ft		
sempervirens. Bushes. For spring delivery, 1908—		
8 to 12 in. Importedper 100, \$25.		4 00

	ach	1	
BUXUS sempervirens. 1 ft. Andorra-grown per 100, \$40\$0		\$6	00
$1\frac{1}{2}$ ft.; light, Andorra-grown per 100, \$50 1		7	50
2 ft.; Andorra-grown 1	50	13	50
$2\frac{1}{2}$ ft.; Andorra-grown	50	22	50
3 ft.; Andorra-grown. Specimens 4	50	40	00
$3\frac{1}{2}$ ft.; Andorra-grown, Specimens \rightarrow . 6	-00	54	00
4 ft.; Andorra-grown. Specimens 7	50	67	50
$4\frac{1}{2}$ ft.; Andorra-grown. Specimens \rightarrow 10	00	90	
5 to $5\frac{1}{2}$ ft.; Andorra-grown. Specimens			
→\$12.50 to 25	00		
sempervirens. Pyramids—	00		
$2\frac{1}{2}$ ft.; Andorra-grown. Specimens	00		
3 ft.; Andorra-grown. Specimens	50	40	00
31 ft · Andorra-grown Specimens	00		
$3\frac{1}{2}$ ft.; Andorra-grown. Specimens 4 ft.; Andorra-grown. Specimens 7	50	54	
Al ft Andorra grown Specimens	00	70	
4½ ft.; Andorra-grown. Specimens	50	90	00
5 ft.; Andorra-grown. Specimens	50	112	90
$5\frac{1}{2}$ ft.; Andorra-grown. Specimens	00	125	00
sempervirens. Standards—			
2 ft. stems, 18 in. head. Andorra-grown	50		
2 to $2\frac{1}{2}$ ft. stems, 22 to 24 in. head. Andorra-			
grown	50		
2 to $2\frac{1}{2}$ ft. stems, 24 to 26 in. heads. Andorra-			
grown	50		
sempervirens, var. angustifolia. 12 to 18 in	50	13	50
sempervirens, var. angustifolia. 12 to 18 in			
$2\frac{1}{2}$ to 3 ft	50	22	50
	00	27	50
	00	37	50
sempervirens, var. arborescens variegata. Variegated			
	50	32	50
sempervirens, var. argentea marginata. Silver-tipped	-	-	00
Box 1½ to 2 ft	50	13	50
	50	30	
5 to 51 ft	00	50	ΟÓ
	00	8	50
2½ to 3 ft	50	22	
	00	22	00
sempervirens, var. Japonica; syn., latifolia—	00	0	~0
	00		50
$\frac{1\frac{1}{2} \text{ to } 2 \text{ ft.}}{2 \text{ ft.}}$			50
2 to $2\frac{1}{2}$ ft			50
$2\frac{1}{2}$ to 3 ft	50	32	50
sempervirens, var. myrtifolia. Myrtle Leaf.			
$2\frac{1}{2}$ to 3 ft	50	32	50
3 to $3\frac{1}{2}$ ft	50		
sempervirens, var. suffruticosa. Dwarf Box Edging			
3 to 4 in			75
4 to 5 in		1	50
6 to 7 in		2	00
CERASUS Laurocerasus Caucasia. Caucasian Laurel—	00	7	50
		22	50
			50
Laurocerasus, var. Schipkaensis. 1 to $1\frac{1}{2}$ ft $+$ 1	50	10	00
CHAMÆDAPHNE calyculata. Leather Leaf—			
12 to 18 in	50	. 4	00
COTONEASTER microphylla. 12 ic	75	6	00
COTOMERSTER Inforophysia. 12 ic	• •	- 0	00

PRICE-LIST FOR SPRING OF 1908	17
Each	10
CRATÆGUS Pyracantha. Evergreen Thorn. 12 in\$0 75	\$ 6 00
Pyracantha, var. Lelandi. Leland's Evergreen	4 00
Thorn. 1 ft	
DAPHNE Cneorum. 8 to 12 in. Potted	9 50
EUONYMUS radicans and variegata. See Trailing Plants.	
Japan Euonymus.	3 50
1½ to 2 ft	0 00
mus. 1 to $1\frac{1}{2}$ ftper 100, \$20 50	3 50
ILEX Aquifolium. Common English Holly—	
3 to 4 ft\$3.50 to. 5 00	
crenata. Japanese Holly. Box-leaved—	10.50
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	12 50 17 50
$2\frac{1}{2}$ ft	32 50
crenata, var. latifolia. Broad-leaved Japanese Holly—	
$2\frac{1}{2}$ to 3 ft	$\begin{array}{ccc} 17 & 50 \\ 22 & 50 \end{array}$
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	32 50
$4 \text{ to } 4\frac{1}{2} \text{ ft.} \dots 5 00$	47 50
crenata, var. microphylla. Small-leaved Japanese Holly-	0.00
9 to 12 in. Bushy	6 00 8 50
15 to 18 in. Bushy per 100, \$60 1 25	10 00
$1\frac{1}{2}$ to 2 ft. Bushy per 100, \$100 1 75	15 00
$3\frac{1}{2}$ ft. Heavy specimens	
KALMIA latifolia. Mountain Laurel. 2 ft 1 00	8 50
3 ft	22 50
3 to $3\frac{1}{2}$ ft	27 50
$1\frac{1}{2}$ ft. Heavy clumps 1 50 2 ft. Heavy clumps 2 00	12 50 17 50
2½ ft. Heavy clumps 2 50	22 50
$2\frac{1}{2}$ to 3 ft. Heavy clumps	28 50
$3 \text{ to } 3\frac{1}{2} \text{ ft. Heavy clumps} \dots 3 50$ $3\frac{1}{2} \text{ to } 4 \text{ ft. Heavy clumps} \dots 5 00$	32 50
LAURELS. See Cerasus Laurocerasus.	
LEUCOTHOE Catesbæi. Drooping Andromeda—	
12 to 15 in. Clumps	8 50
15 to 18 in. Clumps	12 50
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	16 50 18 50
MAHONIA Aquifolium, Holly-leaved—	
12 to 15 in per 100, \$25 50	4 00
15 to 18 in. Heavyper 100, \$35 75 18 to 24 inper 100, \$60 1 00	7 00 9 00
24 to 30 in per 100, \$100 1 50	13 50
Japonica. Japanese Mahonia—	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	18 50-
3 to $3\frac{1}{2}$ ft	27 50
USMANTHUS ilicifolia. 18 to 24 in	18 50 22 50
PHILLYREA Vilmoriniana. $1\frac{1}{2}$ to 2 ft	12 50



RHODODENDRONS

HYBRID VARIETIES.—ANDORRA GROWN

RHODODENDRONS, Catawbiense Hybrids Assorted. Our se-			
lection of varieties— Eacl)	10	
$1\frac{1}{2}$ to 2 ft per 100, \$100\$1 5			
2 to $2\frac{1}{2}$ ft per 100, \$175 2 5			
Our stock of large, heavy plants, 3½			
to 5 ft. in height is unusually			
fine. Prices on application.			
Atropurpureum. 2 to $2\frac{1}{2}$ ft 2 0)]	17 8	50
Abraham Lincoln. Rosy crimson.			
$2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots 25$) :	22 3	50
Album elegans. White. $1\frac{1}{2}$ to 2 ft 1 5	0 :	12 3	50
$2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots 2 0$)]	17 8	50
$3 \text{ to } 3\frac{1}{2} \text{ ft.} \dots 3 5$; (30 (00
$3\frac{1}{2}$ to 5 ft\$3.50 to 7 5)		
Album grandiflorum. White, $2 \text{ to } 2\frac{1}{2} \text{ ft.}$. 2 0)]	17 8	50
$2\frac{1}{2}$ to 3 ft) 2	27/8	50
$3\frac{1}{2}$ to 5 ft\$3.50 to 7 5)		
Atrosanguineum. Dark scarlet. 1½ ft 1 7	5 !	16 (00
Betsy Parsons. Reddish purple.			
$2\frac{1}{2}$ to 3 ft) ;	32 8	50
Blandyanum. Rosy crimson. 1½ to 2 ft 2 0		18 (00
$2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots 2 5$		22 !	
$2\frac{1}{2}$ to 3 ft\$3.50 to 5 0			
3 to 4 ft. Specimens \$5 to 15 0			

PRICE-LIST FOR S	PRING OF 1908	19
	Eac	ch 10
RHODODENDRONS, B. W. Elliott. Deep	prose. 2 to $2\frac{1}{2}$ ft\$2	00 \$17 50
3 to 3\frac{1}{2} ft	\$3.50 to 5	00
Caractacus, Purpl	ish crimson. $1\frac{1}{2}$ to 2 ft. 2	00 17 50
2 to $2\frac{1}{2}$ ft		50 22 50
$2\frac{1}{2}$ to $\tilde{3}$ ft		00
Chancellor, Light	purple. $3 \text{ to } 3\frac{1}{2} \text{ ft.} \dots 3$	50 32 50
Charles Bagley, Br		00 17 50
Charles Dickens.	Scarlet. $1\frac{1}{2}$ to 2 ft 2	00 18 00
		50 22 50
Delicatissimum, V		50 13 50
$2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots$		
$2\frac{1}{2}$ to 3 ft	3	50 32 50
Duchess of Bedford		75 15 00
		50 32 50
Everestianum, Ro	sy lilac. $1\frac{1}{2}$ ft 1	75 15 00
		50 22 50
		50 32 50
		00
General Grant Re		00 18 00
2 to 21 ft		50 22 50
Giganteum, Rosy		50 13 50
	$3 \text{ to } 3\frac{1}{2} \text{ ft.} \dots 3$	
H. W. Sargent, Sci		00 17 50
		75 15 00
	. Scarlet. $1\frac{1}{2}$ ft 2	
		50 22 50
John Spencer, Ros	se, 1\frac{1}{2} ft	50 13 50
John Walter, Rich		00 17 50
2 ft		
John Waterer, Car	rmine. $2\frac{1}{2}$ to 3 ft 3	50 32 50
Lady Armstrong.	Pale rose. $1\frac{1}{2}$ to 2 ft 2	00 18 00
		50 22 50
2½ to 3 ft	\$3.50 to 5	
		00 17 50
$2\frac{1}{2}$ to 3 ft		50 22 50
Luciferum, Clear	white. 2 to $2\frac{1}{2}$ ft 2	50 22 50
$2\frac{1}{2}$ to 3 ft	\$3.50 to 5	00
Madam Carvalho.	\$3.50 to 5 Clear white.	
$2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots$		50 22 50
Michael Waterer.	Scarlet-crimson.	
$1\frac{1}{2}$ to 2 ft		00 17 50
Minnie. White. 2	to 3 ft 2	50 22 50
$\frac{3 \text{ to } 3\frac{1}{2} \text{ ft.} \dots}{2}$		50 32 50
Mrs. John Clutton	. White. 1½ to 2 ft 2	00 17 50
		00 27 50
	\$3.50 to 5	00
Mrs. Milner. Crim	son, $1\frac{1}{2}$ ft	00 18 00
$1\frac{1}{2}$ to 2 ft		50 23 50
$2 \text{ to } 2\frac{1}{2} \text{ ft. } \dots$		00 27 50
	1½ ft 1	50 13 50
	1. Blush. $1\frac{1}{2}$ ft 1	25 10 00
		50 12 50
		75 15 00
$2\frac{1}{2}$ to 3 ft		50 23 50
Perspicum. $2\frac{1}{2}$ to	3 ft 3	50 32 50
Pictum. White. 2	$2\frac{1}{2}$ to 3 ft	50 23 50
President Lincoln.	2 to 2½ it 2	50 23 50 50 32 50
2½ to 3 ft,	,	50 32 50

RHODODENDRON purpureum grandiflorum. Purple Each 10
RHODODENDRON purpureum grandiflorum. Purple. Each 10 $2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots $ \$1 50 \$12 50
$3 \text{ to } 3\frac{1}{2} \text{ ft.} \dots 3 50 32 50$
roseum elegans. Good rose. 15 to 18 in 1 50 12 50
1½ to 2 ft
$2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots 2 50 22 50$
2 to $2\frac{1}{2}$ ft. Specimens 3 50 30 00
$2\frac{1}{2}$ to 3 ft. Specimens
3 to 4 ft. Specimens \$7.50 to 15 00
NATIVE VARIETIES.—ANDORRA GROWN
RHODODENDRON Catawbiense. 2 to 2½ ft
2½ to 3 ft
$3 \text{ to } 3\frac{1}{2} \text{ ft.} \dots \dots$
$3\frac{1}{2}$ to 4 ft
Catawbiense grandiflora. $2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots 2 00 18 50$
$2\frac{1}{2}$ to 3 ft
maximum. Great Laurel. 15 to 18 in 1 00 7 50
$egin{array}{cccccccccccccccccccccccccccccccccccc$
$\begin{array}{cccccccccccccccccccccccccccccccccccc$
3 to 4 ft
4 to 5 ft 7 50 60 00
We have an excellent stock of larger specimens; prices on application.
Having good facilities for collecting Rhododendron maximum, we offer col-
lected stock by the carload, in all sizes from 2 to 7 feet, at special prices. Write us.
DWARF VARIETIES.—ANDORRA GROWN
RHODODENDRON Ferrigineum. 1 ft
Hirsutum, 1 ft
myrtifolium. Myrtle-leaved—
1 to $1\frac{1}{2}$ ft
odoratum. Fragrant. 1 to $1\frac{1}{2}$ ft
$2\frac{1}{2}$ ft
$\begin{array}{cccccccccccccccccccccccccccccccccccc$
$1\frac{1}{2}$ to 2 ft
Wilsomanum: 13 to 18 in

DECIDUOUS TREES

4-yr....

 $\frac{2}{3} \frac{00}{00}$

YUCCA filamentosa. Adam's Needle. 3-yr.....

Measurements are given as follows: Height is taken before digging, from the surface of the ground to the top branches where they round off to form the top; diameter of stem, or caliper, is taken above the collar.

		Each	10
ACER campestris. European Cork	Maple. 3 to 4 ft	\$0 50	\$4 00
5 to 6 ft		1.00	8 50
colchicum, var. rubrum. B			. 12 00
10 to 12 ft.; $2\frac{1}{2}$ -in. cal.		1 78	5 15 00
12 to 14 ft.: 23- to 3-i	n. cal	3 50	32 50



End View of a Block of Norway Maples

AC

ZER dasycarpum. Silver Maple— Each 10 to 12 ft.; 1½ to 2 in \$1 00	10 \$8 50 12 50	100 \$60 00 90 00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	15 00 20 00	125 00 150 00
immediate effects\$3.50 to 7 50		
dasycarpum, var. Wierii laciniatum. Wier's Cut-leaved Silver Maple—		
10 to 12 ft.; $1\frac{3}{4}$ to 2 in	13 50 32 50	
Negundo. Ash-leaved Maple. 6 to 8 ft. 75 8 to 10 ft.; 1½ to 2 in. 1 00 10 to 12 ft.; 2 to 2½ in. 1 50	6 00 8 50 10 00	
Pennsylvanicum. 6 to 7 ft 1 50		
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	8 50 12 50 15 00 17 50 22 50 27 50 35 00 42 50 47 50 72 50 90 00	175 00 225 00 300 00 375 00 400 00 700 00
Specimen Norways. 14 to 20 feet in		

height and 4½ to 10-in. caliper; clean, well headed.

ACER	platanoides, var. purpurea. Schwedler's Purple Each Maple. 8 to 10 ft.; 1 ³ / ₄ to 2 in\$1 50	\$12 50	100
	10 to 12 ft.; $2\frac{1}{2}$ to $2\frac{3}{4}$ in	32 50	
380	16 to 18 ft.; 5 to 6 in. Specimens. \$20 to 35 00		
-6.6	18 to 20 ft.; 6 to 10 in. Specimens \$35 to 75 00		
	Broad-headed specimen trees.		
	platanoides, var. Reitenbachi. Reitenbach's Purple Maple. 8 to 10 ft	17 50	
	Pseudo-platanus. European Sycamore Maple—	11.00	
	6 to 8 ft	6 00	
	8 to 10 ft	12 50	Section 1
	8 to 10 ft	17.50	of making .
	12 to 14 ft.; $2\frac{1}{2}$ to 3 in	22 50	and the second
	14 to 16 ft. Specimens \$3.50 to 7 50	-	
	Pseudo-platanus, var. purpurea. Purple Syca-		
		12 50	
	12 to 14 ft.; $2\frac{1}{2}$ in	17 50	
	12 to 14 ft.; 3 to 5 in. Specimens \$3.50 to 15 00	0 70	
	rubrum. Red or Scarlet Maple. 6 to 7 ft 1 00	8 50	\$75 00
	8 to 10 ft	12 50 17 50	100 00
	10 to 12 ft.; $2\frac{1}{2}$ to $3\frac{1}{2}$ in\$2.75 to 7 50	17 50	
	saccharinum. Sugar Maple. 8 to 10 ft 1 00	8 50	
	10 to 12 ft.; $1\frac{1}{4}$ to $1\frac{1}{2}$ in	10 00	75 00
	10 to 12 ft.; $1\frac{1}{2}$ to $1\frac{3}{4}$ in	12 50	100 00
	12 to 14 ft.; 2 to $2\frac{1}{2}$ in	17 50	150 00
	12 to 14 ft.; $2\frac{1}{2}$ to $2\frac{3}{4}$ in	32 00	250 00
	12 to 14 ft.; $2\frac{3}{4}$ to 3 in	37 50	
	14 to 16 ft.; 3 to 3\frac{1}{2} in	45 00	
	14 to 16 ft.; $3\frac{1}{2}$ to 4 in		
	caliper and good tops. Prices on		
	application.		
	spicatum. Mountain Maple. 2 to 3 ft 50	400	30 00
	3 to 4 ft	6.00	40 00
	4 to 5 ft	8 50	60 00
	5 to 6 ft	12 50	
	Tataricum, var. Ginnala. Tartarian Maple—		
	2 ft 50		25 00
	3 to 4 ft. Bushy	6 50 9 00	35 00 50 00
	4 to 5 It. Dushy = == 1 00	10 00	60 00
	6 to 8 ft. Bushy 1 25 Most brilliant of the fall-coloring	10 00	00 00
	trees. Superb for mass planting.		
	JAPANESE MAPLES		
ACER	polymorphum, 3 to 4 ft, 1 50	13 50	
	polymorphum, var. atropurpureum. Blood-		
	leaved Japan Maple. $1\frac{1}{2}$ ft $+$. 1 50		
	2 to 2½ ft		
	2½ to 3 ft		
	3 to 5 ft. Specimens		
	branched trees.		

ACER polymorphum, var. atropurpureum dissectum.	Εa	ach	:	10	100	
Weeping Cut-leaf Blood-leaved— $ \begin{array}{ccccccccccccccccccccccccccccccccccc$	81 a 5 (50 00	\$13	50		
polymorphum, var. aureum. Golden Japan Maple. $1\frac{1}{2}$ ft	1		13	50		
polymorphum, var. dissectum. Cut-leaf Wee ing Japan Maple. 1½ ft		50				
2 to $2\frac{1}{2}$ ft	7	50				
polymorphum, var. filicifolium. 1½ to 2 ft	1 4	50				
polymorphum, var. scopendifolium. 1½ to 2 ft	1 3	50				
2½ to 3 ft						
7 to 8 ft			12	50		
8 to 10 ft.; 2 in	2	00	17			
10 to 12 ft.; $2\frac{1}{2}$ in	2 3	50	22			
10 to 12 ft.; 3 in	3 8	50	32	50		
Specimens; 3\frac{1}{4} to 5 in. cal\$5 to 20) ()().				
Hippocastanum, var. alba flora plena. Double White-Flowered Horse-						
Chestnut, 8 to 9 ft.: $1\frac{1}{2}$ in	2 (00				
9 to 10 ft.; 2 in	2 3	50				
10 to 11 ft.: 2\frac{1}{2} in	3 3	50 -				
11 to 12 ft.; 3 in	5 (00				
Specimens; 3 to 5 in \$7.50 to 1 Hippocastanum , var. Bujotii —	. 0)()				
10 to 12 ft.; $2\frac{1}{2}$ to 3 in 4	2 :	50	22	50		
10 to 12 ft.; 3 to $3\frac{1}{2}$ in			32			
Hippocastanum, var. rubicunda. Red-						
flowered Horse-Chestnut-						
7 to 8 ft.; 1½ in	1 7	(5)				
10 ft.; $1\frac{3}{4}$ to 2 in	3 !	50				
12 ft.; 3 to 4 in \$4 to 1						
parviflora. See Shrubs.						
AILANTHUS glandulosa. Ailanthus, or Tree of						
Heaven. 7 to 8 ft		75	5	00		
14 to 18 ft. Heavy \$2.50 to	3 8	00				
ALNUS glutinosa. European, or Black Alder—	1 (20	=	00	@2F 00	
5 to 6 ft. 10 to 12 ft.		50		00	\$35 00	
incana. 5 to 6 ft				00	35 00	
AMELANCHIER Botryapium. Dwarf Juneberry. See Shrubs.						
ANDROMEDA. See Oxydendron.						
ARALIA. Chinese Angelica Tree—						
elata, var. foliis argentea marginata. 5 to 6 ft	1 (00	9	00		
6 to 8 ft			13			
Japonica, 4 to 5 ft	7	75		00		
6 to 8 ft	1 (00		
8 to 10 ft	1 5	0	12	50		
pentaphylla; syn., Acanthopanax spinosa. See Shrubs.						
spinosa. 3 to 4 ft	5	50	2	50		
4 to 6 ft				50		

BETULA alba. European White Weeping Birch— Each	10	100
8 to 10 ft\$1 25 \$1		
10 to 12 ft.; $1\frac{3}{4}$ to 2 in	7 50	
12 to 14 ft.; 2 to $2\frac{1}{2}$ in 2 50 2	22 50	
16 to 18 ft.; 3 to 4 in\$5 to 7 50 alba, var. fastigiata. Pyramidal White		
Birch. 8 to 10 ft		
10 to 12 ft 3 50		
12 to 14 ft 5 00		
alba, var. laciniata pendula. Weeping Cut-		
leaved White Birch. 6 to 7 ft 1 50	0 00	
lenta. Sweet Birch. 6 to 7 ft 1 00 lutea. Yellow Birch. 5 to 6 ft 75	6 00 5 00	
	22 50	
papyrifera. Paper, or Canoe Birch—	00	
	6 00	
8 to 10 ft 1 25	.0 00	
	5 00	
14 ft.; 2½ to 3 in \$2.50 to 3 50		
populifolia. American White Birch— 10 to 12 ft	2 50	
12 to 14 ft	7 50	
	0 00	\$75 00
BROUSSONETIA papyrifera. Paper Mulberry—	00	\$10.00
4 to 5 ft	5 00	
CARPINUS Americana; syn., Caroliniana. American	0 00	
Hornbeam. 3 to 4 ft 60	5 00	30 00
4 to 5 ft. Bushy 1 00	7 50	50 00
5 to 6 ft. Bushy 1 50 1	0 00	75 00
	3 50	85 00
	00 00	150 00
	7 50	
Betulus, European Hornbeam. 2 to 3 ft 35	3 00	22 50
3 to 4 ft. Bushy	4 00 6 00	30 00 40 00
	3 50	75 00
6 to 7 ft. Bushy 2 00 1	8 50	100 00
	00 00	
CASTANEA Americana. American Chestnut—		
5 to 6 ft	6 00	45 00
7 to 8 ft	7 50	60 00
	3 50	
	6 50 8 50	
12 to 14 ft.; 3 in	0 00	
Japonica. Japan Chestnut. 4 to 5 ft 1 00	7 50	
vesca. Spanish Chestnut. 4 to 5 ft 1 00	7 50	
CATALPA bignonioides, 8 to 9 ft	6 00	
bignonioides, var. aurea. Golden Catalpa—	0 00	
4 to 5 ft	7 50	
Bungei, Bunge's Catalpa, Standards, 7 ft, 3 50		
	2 50	
	7 50	
	3 50	
CEDRELA Sinensis. Chinese Cedrela—		
7 to 8 ft		

Each	10	100
CELTIS occidentalis. Nettle Tree. 6 to 7 ft \$1 00	\$9 00	100
7 to 8 ft 1 25	10 00	
8 to 9 ft 1 50	12 50	
CERASUS Padus. European Bird Cherry. 4 to 5 ft 75	6 00	
serotina. Wild Black Cherry. 10 to 12 ft 1 00	7 50	\$60 00
Avium, var. alba plena. Double White-flowering Cherry. 5 to 6 ft 1 50	13 50	
Avium, var. rosea plena. Double Pink-	19 90	
flowering Cherry, 4 to 6 ft 1 50		
Avium, var. rosea pendula. Pink Weeping		
Japan Cheery, 6 to 8 ft \$3.50 to 5 00		
Sieboldi, var rubra plena. 4 to 5 ft 1 50	12 50	
CERCIS Canadensis. Red Bud, American Judas—		
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	25 00
3 to 4 ft	6 00	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
5 to 6 ft	7 50	50 00
6 to 8 ft	10 00	60 00
Japonica. See Shrubs.		
CERCIDIPHYLLUM Japonicum. 4 to 5 ft 1 50		
6 to 8 ft	17 50	
8 to 9 ft	22 50	
9 to 10 ft		
CLADRASTIS tinctoria (Virgilia lutea). Yellow Wood, 8 to 10 ft	9 00	75 00
10 to 12 ft	13 50	10 00
CORNUS. See, also, Shrubs.	10 00	
florida. White Dogwood. 2 to $2\frac{1}{2}$ ft 50	4 00	25 00
$3\frac{1}{2}$ to 4 ft.; very fine	7 50	
4 to 5 ft.; very fine	10 00	60 00
5 to 6 ft.; very fine	12 50	70 00
6 to 7 ft.; very fine	15 00	80 00
8 to 10 ft · very fine	22 50 27 50	100 00
8 to 10 ft.; very fine	21 00	
florida, var. fiore rubro. Red-flowered Dog-		
wood. $2\frac{1}{2}$ to 3 ft	13 50	
3 to $3\frac{1}{2}$ ft. Bushy	17 50	
3½ to 4 ft. Bushy 2 50	22 50 32 50	
5 to 6 ft. Bushy	02 00	
5 to 6 ft. Rare		
6 to 7 ft. Rare 5 00		
7 to 10 ft. Rare		
One of the most beautiful of weeping trees, combining spring flowers,		
summer berries and brilliant autumn		
foliage.		
CRATÆGUS Carrieri. 4 to 5 ft	6 00	
8 to 10 ft 2 00	18 50	
10 to 12 ft 2 50	22 50	
coccinea, 3 to 3½ ft	6 00	
4 to 5 ft	7 50	
3 to 3½ ft	4 50	
4 to 5 ft	6 00	
6 to 8 ft.; very heavy		

CRATÆGUS Crus-galli. Cockspur Thorn— Each	10 \$4 00	100 \$25 00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	6 00	35 00
5 to 6 ft	7 50	50 00
6 to 8 ft	15 00	100 00
mollis. Scarlet Haw. 4 to 5 ft	6 00	100 00
Oxyacantha. English Hawthorn—	0 00	
2 to 3 ft	3 00	20 00
4 to 5 ft	4 00	35 00
Oxyacantha, var. alba flore pleno. Dou-	1 00	00 0.
ble White Hawthorn. 4 to 6 ft. 1 00	9 00	
6 to 8 ft	0 00	
Oxyacantha, var. coccinea flore pleno.		
Paul's Double Scarlet. 4 to 6 ft. 1 00	9 00	
10 to 12 ft. Standards → 3 00	25 00	
Oxyacantha, var. rosea flore pleno. Dou-		
ble Pink Hawthorn. 4 to 5 ft 1 00	9 00	
6 to 8 ft 2 50		
Oxyacantha, var. rubra pleno. 3 to 4 ft 1 00	9 00	
punctata. 3 to 3½ ft	4 00	
CYTISUS Laburnum. Golden Chain. 3 to 4 ft 75		
	6 00	
	9 00	
DIOSPYROS Virginica. Persimmon. 6 to 8 ft 1 00	8 50	
FAGUS ferruginea. American Beech. 3 to 4 ft 1 50	13 50	
4 to 5 ft 2 00	17 50	
6 to 8 ft		
sylvatica. European Beech. 3 to 4 ft 75	6 00	50 00
4 to 5 ft	7 50	60 00
5 to 6 ft	15 00	
6 to 7 ft	$32 \ 50$	
7 to 8 ft		
8 to 10 ft. Specimens\$5 to 15 00		
sylvatica, var. asplenifolia. Fern-like Beech—		
3 to 4 ft		
sylvatica, var. pendula. Weeping Beech—	00.50	
6 to 8 t	32 50	
8 to 10 ft\$5 to 7 50 14 to 16 ft.; 2 to 3½ in. Specimens. \$15 to 25 00		
All recently transplanted.		
The state of the s		
sylvatica, var. purpurea. Purple Beech— 4 to 5 ft	12 50	
5 to 6 ft	12 00	
6 to 7 ft		
7 to 8 ft	32 50	
9 to 10 ft 5 00	45 00	
11 to 12 ft	70 00	
12 to 14 ft. Specimens\$10 to 35 00		
8 to 16 ft. Sheared specimens\$10 to 35 00		
sylvatica, var. purpurea major. Large Leaf—		
3 to 4 ft	12 50	
4 to 5 ft	15 00	
5 to 6 ft 2 50	22 50	
sylvatica, var. Riversi. Rivers' Blood-leaved		
Beech. 5 to 6 ft		
10 to 14 ft. Specimens\$12.50 to 35 00		



An avenue of Sweet Gums (Liquidambar), at Andorra

. P. 1	10	100
FRAXINUS Americana. White Ash. 6 to 8 ft \$1 00	\$7 50	\$50 00
8 to 10 ft	10 00	75 00
10 to 12 ft.; 2 to $2\frac{1}{2}$ in 1 50	12 50	90 00
12 to 14 ft.; $2\frac{1}{2}$ to $2\frac{3}{4}$ in 2 50	22 50	00 00
14 to 16 ft.; $2\frac{3}{4}$ to 3 in 3 00	00	
excelsior. European Ash.—		
10 to 12 ft	10 00	
12 to 14 ft 2 00	12 50	
3 to $3\frac{1}{2}$ in. caliper	22 50	
Ornus. Flowering Ash—		
10 to 12 ft.; 2 in	7 50	60 00
GLEDITSCHIA aquatica. Water Locust. 6 to 8 ft 50	4 50	40 00
8 to 10 ft	7 50	60 00
triacanthos. Honey Locust. 3 to 4 ft. 50	4 00	
GLYPTOSTROBUS. See Taxodium.		
CVWNOCI ADIIS Canadansis Wantucker Coffee Tone		
GYMNOCLADUS Canadensis. Kentucky Coffee Tree—6 to 7 ft	7 50	
JUGLANS nigra. Black Walnut. 6 to 8 ft	4 00	
8 to 10 ft 1 00	7 50	
KŒLREUTERIA paniculata. Varnish Tree-		
4 to 6 ft	12 50	
8 to 10 ft 2 50		
LARIX Europæa. European Larch. 4 to 5 ft 1 00	6 00	
6 to 7 ft	12 50	
leptolepis. Japanese Larch. 6 to 8 ft 1 00	7 50	
	, 00	
LAURUS Sassafras. See Sassafras officinale.		

ZO ANDORRA NO	KOLKILO		
	Each	10	100
LIQUIDAMBAR. Sweet Gum. 4 to 5 ft		\$6 00	
5 to 6 ft		7 50	
6 to 7 ft. Fine	1 50	12 50	
7 to 8 ft.; $2\frac{1}{2}$ to 3 in.	Fine. → 2 50		
8 to 9 ft.; 3 to $3\frac{1}{4}$ in.	Fine. → 3 50		
LIRIODENDRON Tulipifera. Tulip Tree.		8 50	
8 to 9 ft.; very hear		10 00	
9 to 10 ft.; very he		16 50	
10 to 12 ft.; very he 12 to 14 ft.; very he	avy 2 00	$\begin{array}{ccc} 17 & 50 \\ 22 & 50 \end{array}$	
Tulipifera, var. fastigiat		22 50	
tiful pyramida	al form of		
the well-know			
		18 50	
8 to 10 ft	2 50		
10 to 12 ft			
MACLURA aurantiaca. Osage Orange. 2 y			
SELCITOTTA ST. C C L.	1,000 \$8		\$2 00
MAGNOLIA. Native Sorts—	04-104-1-00		
acuminata. Cucumber Tree.			
glauca. Sweet or Swamp Mag	311011a— ▲ 1.50	13 50	
$\begin{array}{c} 2 \text{ to } 2\frac{1}{2} \text{ ft.}\\ \textbf{grandiflora.} \text{Evergreen Magn} \end{array}$	olia—	10 00	
$2\frac{1}{2}$ to 3 ft			
macrophylla. Great-leaved M	lagnolia—		
3 to 4 ft	→ 2 50	22 50	
4 to 5 ft		32 50	
tripetala. Umbrella Tree. 8 t	o 10 ft 1 25	9 00	
10 to 12 ft		12 50 18 50	
12 to 14 ft		18 90	
MAGNOLIA. Chinese Sorts—	65 EU +- E UU		
Alexandriana. $3 \text{ to } 4 \text{ ft.} \dots \rightarrow 6 \text{ to } 7 \text{ ft.} \dots \dots$			
conspicua. Pure white.			
3 to 3½ ft	3 50		
6 ft			
Kobus. 2 to $2\frac{1}{2}$ ft	1 50	13 50	
Lennei Hybrid. Lenne's Mag	nolia—		
3 to 4 ft	►\$2.50 to 3 50		
4 to 5 ft	\$3.50 to 5 00		
	Prices on		
application. Norbertiana Hybrid. Norbert	s Magnolia-		
a to $3\frac{1}{2}$ ft			
purpurea: svn., obovata, Pur	ole Magnolia—		
		22 50	
Soulangeana Hybrid. Soulang	e's Magnolia—		
3 to 4 ft.	→ 2.50		
4 to 5 ft	►\$3.50 to 7 50		
Larger specimens. Price	s on appu-		
cation. speciosa. $4\frac{1}{2}$ to 5 ft	\$3.50 to 5.00		
stellata; syn., Halleana. Hall	's Japanese		
Magnolia, 2 ft	2 50	22 50	
$2\frac{1}{2}$ ft	3 50	32 50	
3 ft. Fine specimens	↓ \$5 to 7 50		
superba alba. 4 to 5 ft →	\$3.50 to 5 00		
7 to 8 ft	\$7.50 to 10 00		



An avenue of "Andorra-grown" Oriental Planes. (See page 30)	
MORUS alba. White Mulberry. 6 to 8 ft	\$6 00
alba, var. Tatarica pendula. Teas' Weeping Mulberry. 2-yr. heads	
NEGUNDO. See Acer.	
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	8 50 13 50
OXYDENDRUM arboreum; syn., Andromeda arborea. Sorrel	
Tree. 2 to 3 ft	9 00
4 to 5 ft	18 50
5 to 6 ft	22 50
6 to 7 ft	27 50
7 to 8 ft	
PARROTIA Persica. Persian Iron Tree. 4 to 5 ft. 1 50 10 to 12 ft. 3 50	
PAULOWNIA imperialis, 10 to 12 ft 3 50	
PERSICA vulgaris, var. alba plena. Double White-flowering	
Peach. 5 to 6 ft	9 00
vulgaris, var. sanguinea piena. Double Red-flowering Peach. 4 to 5 ft	9 00
PHELLODENDRON Amurense. Chinese Cork Tree—	
5 to 6 ft	9 00
6 to 8 ft	12 50
8 to 10 ft 2 00	18 50

PLATANUS occidentalis. Buttonwood, or American Ed	ach	10	0	100
10 to 12 ft.; 1\frac{3}{4} to 2 in	00		50	\$160 00
oriental Blane, Sycamore or Buttonwood. 6 to 8 ft. 1 8 to 10 ft.; $1\frac{1}{4}$ to $1\frac{1}{2}$ in 1 10 to 12 ft.; $1\frac{1}{2}$ to $1\frac{3}{4}$ in 1 12 to 14 ft.; $1\frac{3}{4}$ to 2 in 2 12 to 14 ft.; $2\frac{1}{2}$ to 3 in 5	$\begin{array}{c} 75 \\ 00 \end{array}$	7 11 16 18 35	50 50	100 00 150 00 175 00
14 ft.; 3 to 4 in. Specimens \$5 to 10 POPULUS alba, var. Bolleana. Bolle's Poplar— 8 to 10 ft		00		
16 to 18 ft.; 3 to $3\frac{1}{2}$ in. 3 monilifera; syn., Carolinensis. Carolina Poplar. 10 to 12 ft.; $1\frac{1}{2}$ to 2 in. 1 nigra, var. fastigiata. Lombardy Poplar—	50	9	00	-
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	00	10 13	00 50	
Transplanted several times. PRUNUS. See Cerasus. PTELEA trifoliata. Hop Tree. 4 to 6 ft	50		00	
trifoliata, var. aurea. Golden Hop Tree— 4 to 5 ft	75 00 75	8	00 50 00	
5 to 6 ft	00 00 50	8	50 00 50	
PYRUS. See, also, Shrubs. atrosanguinea. 3 to 4 ft	50	8	50	
4 to 5 ft	00 75 00		50 00	
ing Crab. 3 to 4 ft	50 75	12	50 00	
spectabilis. Chinese Double-flowering Crab— 3 to 4 ft	00	7	50	
QUERCUS alba. White Oak. 4 to 5 ft. 1 5 to 6 ft. 1 6 to 7 ft. 1 7 to 8 ft. 2 8 to 10 ft. \$2.50 to 3	50 00	10 12	50 00 50 50	75 00 85 00 100 00 150 00

		ach	1		100
QUERCUS bicolor. Swamp White Oak. 6 to 7 ft §	31	25			\$85 00
7 to 8 ft			12 17		$100 \ 00$ $135 \ 00$
10 to 12 ft.; 2 to $2\frac{1}{2}$ in. Specimens.	-	00	1.	00	100 00
\$3.50 to				0.0	0
coccinea. Scarlet Oak. 6 to 7 ft	1	25 50	10		85 00 100 00
7 to 8 ft		00	17		150 00
9 to 10 ft	2	50	22		175 00
10 to 12 ft\$2.75 to imbricaria. Laurel Oak, 7 to 8 ft	5	00			
imbricaria, Laurel Oak, 7 to 8 ft	2	50	22 32		
$8 \text{ to } 10 \text{ ft.} \dots \dots$		00	02	30	
macrocarpa. Mossy Cup Oak—					
8 to 9 ft.; $1\frac{1}{2}$ to $1\frac{3}{4}$ in	2	00	17	50	
10 to 12 ft	2	50			
palustris. Pin Oak—	9	00			
6 to 7 ft. Low-branched	1	00	- 8	50	60 00
• 7 to 8 ft. Low-branched	1	25		00	70 00
$8 \text{ to } 9 \text{ ft.}; 1\frac{1}{2} \text{ to } 1\frac{3}{4} \text{ in. Low-branched.}$ $9 \text{ to } 10 \text{ ft.}; 1\frac{3}{4} \text{ to } 2 \text{ in. Low-branched.}$		50 00		50 50	$125 00 \\ 135 00$
10 to 12 ft.; 2 to 2 in. Low-branched.				50	150 00
10 to 12 ft.; 2\frac{3}{4} to 3 in	$\bar{3}$	50		00	275 00
Extra heavy specimens. $3\frac{1}{2}$ to $4\frac{1}{2}$ in.					
cal., well-rooted and good tops, \$7.50 to 1	15	00			
pedunculata, var. Concordia. Golden Oak-		00			
8 to 10 ft	3	50			
Prinus. Rock Chestnut Oak. 7 to 8 ft	1			00 50	125 00
8 to 10 ft	$\frac{1}{2}$			50	175 00
12 to 14 ft.; $2\frac{1}{2}$ to $2\frac{3}{4}$ in	$\tilde{2}$	50	22	50	200 06
Excellent for street planting.		~ 0		~.	
Robur. English Oak. 6 to 8 ft		50		50 50	
8 to 10 ft	$\frac{2}{2}$	50		50	
12 to 14 ft.; $2\frac{1}{2}$ to 3 in	3	50		50	
Specimens. $3\frac{1}{2}$ to $4\frac{1}{2}$ in. cal 3.50 to	10	00			
Robur, var. fastigiata. Pyramidal English Oak. 6 to 7 ft	2	50	20	00	
7 to 8 ft		50	20	00	
rubra. Red Oak. 5 to 6 ft		75		00	65 00
6 to 7 ft	1	00		00 50	85 00 110 00
7 to 8 ft	$\frac{1}{2}$	00		50	150 00
10 to 12 ft.: 2½ to 2¾ in	- 3	00		50	200 00
12 to 14 ft. Specimens \$3.50 to :	10	00			
velutina, var. tinctoria. Black Oak— 6 to 8 ft	1	25	10	00	
8 to 10 ft.; $1\frac{3}{4}$ to 2 in	1	75		00	
10 to 12 ft.; 2 to $2\frac{1}{4}$ in	2	50		50	
Specimens, 3 to $3\frac{1}{2}$ in	3		4	00	35 00
RHUS glabra. Smooth Sumac. 3 to $3\frac{1}{2}$ ft $3\frac{1}{2}$ to 4 ft		50 75		00	50 00
5 to 6 ft	1	00		50	75 00
glabra, var. laciniata. Cut-leaved Sumac-		Prog. par			
1½ to 2 ft	1	$\frac{75}{00}$			
O 10,	1	00			

RHUS Osbecki. 2 to 3 ft	h 10	100
3 to 4 ft	50 \$4 00 75 6 00	
typhina. Stagnorn Sumac. 3 to 4 ft.	35 3 00	
5 to 6 it	50 4 00	
b to 8 it	75 6 00	
8 to 10 ft	00 8 50	
typhina, var. laciniata. 3 to 4 ft	75 5 00	
	75 6 00	
pseudacacia, var. foliis aureis. Golden- leaved Locust. 6 to 8 ft	00 7 70	
	00 - 7 - 50	
SALISBURIA adiantifolia. Ginkgo, or Maidenhair	,0	
	0 8 50	75, 00
	0 13 50	
	0 17 50	
9 to 10 ft 2 5	0 22 50	200 00
10 to 12 ft 3 5	0 32 50	
SALIX Babylonica. Weeping Willow. 6 to 8 ft 7	600	
8 to 10 ft 1 5		
10 to 12 ft. Heavy	0 22 50	
Babylonica, var. dolorosa. Wisconsin Weeping Willow. 6 to 7 ft	5 6 00	
lutea. Golden Willow. 6 to 8 ft 1 0		
	0 10 00	
lutea, var. pendula. Golden Weeping Willow-		
8 to 10 ft 1 5	0 10 00	
10 to 12 ft		
12 to 14 ft		
pentandra. Laurel Leaf Willow. 6 to 8 ft 1 0		
8 to 10 ft	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
viminalis. 2 to 3 ft	5 3 00	20 00
vitellina. Yellow Willow. 6 to 8 ft 1 0		_0 00
vitellina, var. Britzensis. Salmon-barked Wil-		
low. 8 to 10 ft 1 0		60 00
	0 10 00	75 00
SOPHORA Japonica. Japanese Sophora—	0 80	
$3 \text{ to } 3\frac{1}{2} \text{ ft.} \dots 1 0$	0 8 50	
Japonica, var. pendula. Weeping Sophora—	ın.	•
7 to 8 ft. Specimens + \$3.50 to 5 0		
SORBUS Americana. American Mountain Ash— 6 to 8 ft	0 9 00	
aucuparia. European Mountain Ash—	0 9 00	
6 to 8 ft	0 9 00	
aucuparia, var. fruticosa lutea. Yellow-		
fruited, 6 to 8 ft, 1 5	0 12 50	
aucuparia, var. quercifolia. Oak-leaved	0 80	
Mountain Ash. 6 to 8 ft 1.0		
8 to 10 ft	0 13 50	
TAXODIUM distichum. Deciduous Cypress—	0 50	
4 to 5 ft 1 0	0 8 50	
TILIA Americana. American Linden, or Basswood—	0 10 50	
$-8 \text{ to } 10 \text{ ft.}$ 15 10 to 12 ft.; 2 to $2\frac{1}{4}$ in		
10 to 12 ft.; 2 to $2\frac{1}{4}$ in	$0 \ \ 17 \ 50 \ 0 \ \ 22 \ 50$	
10 to 12 ft.; 2½ to 3 in\$3.50 to 5 0	0	
12 to 14 ft.; 3 to 4 in \$5 to 10 0	0	
•		

TILIA argentea; syn., tomentosa. Silver-leaved Linden—	Each		10
6 to 8 ft			
8 to 10 ft.; $2\frac{1}{4}$ to $2\frac{1}{2}$ in			
10 to 12 ft.; $2\frac{1}{2}$ to $2\frac{1}{4}$ in		32	
vulgaris; syn., Europæa. European Linden—	00	-	00
8 to 10 ft.; 1½ to 2 in	50	12	50
10 to 12 ft.; 2 to $2\frac{1}{2}$ in		22	
12 to 14 ft.; 3 to 4 in\$3.50 to 7			š.,
vulgaris, var. pyramidalis laciniata. Pyramidal Cut-	-		
leaf. 8 to 10 ft	00	15	00
vulgaris, var. rubra. Red-barked Linden-			
10 to 12 ft	00	15	00
* ULMUS Americana. American Elm—			
	00	7	50
		13	
12 to 14 ft.; $2\frac{1}{2}$ to $2\frac{3}{4}$ in		22	
14 to 15 ft.; 3 to 4½ in\$3.50 to 10		22	00
		13	50
10 to 12 ft.; $2\frac{1}{2}$ to $2\frac{3}{4}$ in		22	
		32	
Specimens		02	00
campestris, var. latifolia; syn., major. Broad-leaved	00		
	50	13	50
		22	
$12 \text{ to } 14 \text{ ft.}; 2\frac{3}{4} \text{ to } 3 \text{ in.} \dots 3$		32	50
16 to 18 ft.; 3 to 4 in		-	•
scabra; syn., montana. Scotch, or Wych Elm-			
8 to 10 ft.; 1½ to 2 in	50	13	50
scabra, var. Huntingdoni. Huntingdon Elm-			
10 to 12 ft.; 2 to $2\frac{1}{4}$ in	75	16	00
12 to 14 ft.; $2\frac{1}{4}$ to $2\frac{1}{2}$ in	50	22	50
14 to 16 ft.; 3 to $3\frac{1}{4}$ in	50		
scabra, var. pendula. Camperdown Elm-			
6 ft 1	50		
scabra, var. purpurea. Purple Wych Elm—			
8 to 10 ft		13	
10 to 12 ft		17	50
12 to 14 ft.; 3 to $3\frac{1}{2}$ in	00		
vegeta, 10 to 12 ft	50	22	50
VIRGILIA. See Cladrastis.			

DECIDUOUS SHRUBS

ABELIA rapestris. 1 to 1½ ft	75	6 50	100 \$25 00 30 00
2 to 2½ ft	1 00	9 00	35 00
3 to 4 ft	35	3 00	20 00
4 to 6 ft. Heavy	50	4 00	30 00
ÆSCULUS parviflora; syn., Pavia macrostachya—		0 #0	W × 00
1½ ft	1 00	8 50	75 90
2 ft	1 50	15 50	100 00
AMELANCHIER Botryapium, 2½ to 3 ft	50	4 00	
2 ft		2 50	15 00



Partial view of Nursery grounds as far as (1), from top of Main Nursery

		10	
AMORPHA canescens. 2 ft	.\$0 35	\$2 50	\$15 00
fragrans. 2 to 3 ft	. 35	3 00	20 00
fruticosa, 2 to 3 ft	. 25	2 00	15 00
3 to 4 ft	. 35	3 00	20 00
4 to 5 ft	. 50	4 00	25 00
AMVCDALITS (Almond) See Prunus			

NATIVE AZALEAS.—Andorra Grown

Clean, bushy, transplanted stock

Clean, bushy, transplanted stock		
AZALEA arborescens. Fragrant White Azalea. Each	\$9 00	100
12 to 15 in. Bushy\$1 00		0107 00
15 to 18 in. Bushy 1 50		
$1\frac{1}{2}$ to 2 ft. Bushy	18 50	150 00
$^{\circ}$ 2 to $2\frac{1}{2}$ ft. Bushy	22 50	
calendulacea. Flame Azalea. 12 to 15 in., 1 00	9 00	
15 to 18 in. Bushy 1 50	13 50	125 00
18 to 24 in. Bushy 1 75	15 00	135 00
$2 \text{ to } 2\frac{1}{2} \text{ ft.}$ Bushy	22 50	175 00
3 to 4 ft. Bushy → 3 50	32 50	300 00
Canadensis (Rhodora). 1 ft. Bushy 1 00	8 50	75 00
$2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots 2 50$	22 50	
nudiflora. 12 to 15 in 1 00	9 00	
15 to 18 in	13 50	
$1\frac{1}{2}$ to 2 ft. Bushy	15 00	135 00
$2 \text{ to } 2\frac{1}{2} \text{ ft. Bushy}$	22 50	100 00
	9 00	
Vaseyi. Southern Azalea. 12 to 15 in 1 00		
15 to 18 in	13 50	
$1\frac{1}{2}$ to 2 ft. Bushy	18 50	477 00
$2 \text{ to } 2\frac{1}{2} \text{ ft. Bushy.} \qquad \qquad 2 50$	22 50	175 00
$2\frac{1}{2}$ to 3 ft. Bushy 3 50	30 00	250 00
viscosa. White Azalea. 12 to 15 in 1 00	9 00	
15 to 18 in. Bushy 1 50	13 50	
$1\frac{1}{2}$ to 2 ft. Bushy	18 50	
•		

MOLLIS and GHENT AZALEAS

	ach	10	100
AZALEA mollis, 1½ ft\$1			\$90 00
2 ft. Bushy	50	13 50	125 00
$2\frac{1}{2}$ ft. Bushy	00	17 50	150 00
$2\frac{7}{2}$ to 3 ft. Bushy\$2.50 to 3	50		
All very heavy stock, lifting with			•
good balls.	~~	***	00 00
Pontica (Ghent). $1\frac{1}{2}$ ft	25	10 00	90 00
2 ft. Bushy		12 50	120 00
3 ft. Bushy	50	22 50	175 00
3 to 4 ft. Bushy\$2.50 to 3	30		
Heavy stock, lifting with good			
balls.			
BACCHARIS halimifolia. Groundsel Shrub—		4 00	0.5
4 to 5 ft.; heavy	50	4 00	25 00
6 to 8 ft.; heavy	75	6 00	30 00
Desirable for late bloom.			
BENZOIN odoriferum. Spice Bush. 2½ to 3 ft	35	3 00	
$3 \text{ to } 3\frac{1}{2} \text{ ft.}$	50	4 00	
3½ to 4 ft	75	6 00	
4 to 5 ft 1	00	8 00	
BERBERIS (Barberry) Asiatica. 3 to 3½ ft	75	6 00	50 00
ilicifolia. Holly-leaved. 15 to 18 in	35	3 00	27 50
$1\frac{1}{2}$ to 2 ft	50	4 00	35 00
2 to $2\frac{1}{2}$ ft	75	6 00	40 00
Japonica (not Mahonia). 1 to $1\frac{1}{2}$ ft	35	3 00	20 00
$1\frac{1}{2}$ to 2 ft	60	4 50	25 00
3 to 4 ft	75	5 00	
Sinensis. Chinese Barberry. 2 to $2\frac{1}{2}$ ft	35	3 00	
$2\frac{1}{2}$ to 3 ft.; very heavy	50	4 00	
$3 \text{ to } 3\frac{1}{2} \text{ ft.}$	75	6 00	
Thunbergii, 12 to 15 in.	25	1 75	12 00
15 to 18 in	35	2 50	15 00
$1\frac{1}{2}$ ft.; broad and very heavy	50	3 50	20 00
$1\frac{1}{2}$ to 2 ft.; broad and very heavy.	60	4 50	25 00
$2\frac{1}{2}$ ft.; broad and very heavy	75	6 00	45 00
$3 \text{ to } 3\frac{1}{2} \text{ ft.}; \text{ broad and very heavy.} $. 1	00	7 50	50 00
vulgaris. Common Barberry—	25	9 00	
$2 \text{ to } 2\frac{1}{2} \text{ ft. Heavy } \dots$	35	2 00	
$2\frac{1}{2}$ to 3 ft	50	3 50	
$3 \text{ to } 3\frac{1}{2} \text{ ft.} \dots$	75	5 00	
vulgaris, var. purpurea. 2 to $2\frac{1}{2}$ ft	35	3 00	17 50
$2\frac{1}{2}$ to 3 ft	50	3 50 4 00	25 00
$3 \text{ to } 3\frac{1}{2} \text{ ft.} \dots$	75 00	6 00	35 00 50 00
2			
CALLICARPA purpurea. Beauty Fruit. 2 to $2\frac{1}{2}$ ft	50	4 00	35 00
CALYCANTHUS floridus. Allspice, or Sweet Shrub-			
$2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots$	35	2 00	
4 to 5 ft	75	· 6 00	35 00
CARAGANA arborescens. Siberian Pea-			
$1\frac{1}{2}$ to 2 ft	25	2 00	17 50
2 to $2\frac{1}{2}$ ft	35	3 00	25 00
$2\frac{1}{2}$ to $\tilde{3}$ ft	50	4 00	
CARYOPTERIS Mastacanthus. Blue Spirea—			
$2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots$	35	2 50	15 00

THE OWNER THOROUGH DE		
Each	10	100
CEANOTHUS Americanus. Jersey Tea. 1½ to 2 ft\$0 25	\$2 00	\$ 15 00
$2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots 35$	3 00	20 00
$2\frac{1}{2}$ to $\bar{3}$ ft	. 4 00	25 00
Americanus, var. Fendleri-		
$1\frac{1}{2}$ to 2 ft	5 00	
CEPHALANTHUS occidentalis. 3 to $3\frac{1}{2}$ ft	3 00	25 00
$3\frac{1}{2} \text{ to } 4 \text{ ft.} \dots \dots$	4 00	30 00
	6 00	35 00
	0 00	33 00
CERCIS. See, also, Deciduous Trees.		
Japonica. Japan Judas. 2 to $2\frac{1}{2}$ ft 50	4 00	
$2\frac{1}{2}$ to 3 ft	6 00	
$3\frac{1}{2}$ to 4 ft	8 50	
5 to 6 ft	13 50	
Exceptionally fine stock.		
CHIONANTHUS Virginica. White Fringe. 2 to 2½ ft. 50	4 50	40 00
$2\frac{1}{2}$ to 3 ft. Bushy	7 00	50 00
3 to 4 ft. Bushy 1 00	8 50	75 00
4 to 5 ft. Bushy 1 50	13 50	100 00
	10 00	200 00
CLETHRA alnifolia. Sweet Pepperbush—	0.50	17 50
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	2 50	17 50
$\frac{2\frac{1}{2}}{2}$ to $\tilde{3}$ ft. Broad and bushy 50	3 00	$25 \ 00$
3 to $3\frac{1}{2}$ ft. Broad and bushy 60	4 00	
• 4 to $4\frac{1}{2}$ ft. Bushy	6 00	
COLUTEA arborescens. Bladder Senna. 2 to 3 ft 35	2 50	20 00
$3 \text{ to } 3\frac{1}{2} \text{ ft.} \dots 50$	4 00	25 00
4 to 5 ft	6 00	30 00
COMPTONIA asplenifolia. Sweet Fern. $1\frac{1}{2}$ to 2 ft 35	3 00	25 00
$2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots 50$	4 00	30 00
CORCHORUS Japonicus. Single Globe Flower—	2 50	05 00
$2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots \dots$	3 50	25 00
$3 \text{ to } 3\frac{1}{2} \text{ ft.} \dots 75$	5 00	35 00
CORNUS. See, also, Trees.		
alba. Siberian Red-twigged Dogwood—		
$2 \text{ to } 2\frac{1}{2} \text{ ft.}$	2 00	15 00
$2\frac{1}{2}$ to $\tilde{3}$ ft.; very heavy	3 00	20 00
3 to $3\frac{1}{2}$ ft.; very heavy	4 00	25 00
$3\frac{1}{2}$ to 4 ft.; very heavy	6 00	30 00
alba; syn., sibirica, var. aurea variegata—		
$1\frac{1}{2}$ to 2 ft	4 00	
$2 \text{ to } 2\frac{1}{2} \text{ ft.}$ 75	5 00	
alba, var. elegantissima. Golden-leaved—		
1½ to 2 ft	3 00	25 00
alternifolia. $2\frac{1}{2}$ to 3 ft	3 00	20 00
3 to 4 ft	4 00	30 00
4 to 5 ft	5 00	40 00
5 to 6 ft	6 00	50 00
Mas. Cornelian Cherry. $1\frac{1}{2}$ to 2 ft 35	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	15 00
$2 \text{ to } 2\frac{1}{2} \text{ ft.}$ 50	6 00	20 00
2\frac{1}{4} to 3 ft. \cdot \c	6 00	30 00
	7 50	
5 to 6 ft	7 30	
	4.50	
paniculata. 3 to 4 ft	4 50	
4 to 5 ft	6 00	
5 to 6 ft 1 00	9 00	

CORNUS sanguinea. European Osier Dogwood—	lach	10	100
$2 \text{ to } 2\frac{1}{2} \text{ ft. } \text{Fine } \dots \0		\$2 00	\$15 00
$3\frac{1}{2}$ to 4 ft. Fine	35	3 00	25 00
4 to 5 ft. Fine	50	4 00	30 00
5 to 6 ft. Fine	75	5 00	35 00
sanguinea, var. elegantissima variegata—	50	4 00	
$2\frac{1}{2}$ to 3 ft	75	6 00	
sericea. Silky Dogwood. 3 to $3\frac{1}{2}$ ft	35	3 00	20 00
$3\frac{1}{2}$ to 4 ft	50	4 00	30 00
4 to 5 ft	75	6 00	35 00
6 to 7 ft 1	00	7 50	50 00
stolonifera. Native Red Osier—	~~	0 00	4 10 10 10
$2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots$	25	2 00	17 50
$2\frac{1}{2}$ to 3 ft	35 50	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{ccc} 20 & 00 \\ 25 & 00 \end{array}$
$3 \text{ to } 3\frac{1}{2} \text{ ft.}$ $3\frac{1}{2} \text{ to } 4 \text{ ft.}$	60	5 00	30 00
4 to 5 ft	75	6 00	35 00
stolonifera, var. aurea. Golden-barked—	• •	0 00	00 00
$2\frac{1}{2}$ to 3 ft	35	3 00	25 00
3 to $3\frac{1}{2}$ ft	50	4 00	30 00
$3\frac{1}{2}$ to 4 ft	75	5 00	35 00
CORYLUS Avellana, var. laciniata. Cut-leaved Hazel-	-		
6 to 8 ft	00	7 50	
maxima, var. purpurea. Purple Hazel—	o in	2 00	00 00
$2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots \dots$	35	3 00	20 00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\frac{50}{75}$	$\frac{4}{6} \frac{00}{00}$	25 00 50 00
COTONEASTER frigida, var. bacillaris	10	0 00	30 00
2 to $2\frac{1}{2}$ ft	35	3 00	20 00
$3 \text{ to } 3\frac{1}{2} \text{ ft.} \dots$	50	4 00	25 00
CRATÆGUS. See Trees.	-	1 00	20 00
CYDONIA Japonica. Japan Quince. 1 to 1½ ft	35	3 00	25 00
CYTISUS scoparius. Scotch Broom. 2 to 2½ ft	50	4 50	30 00
DESMODIUM penduliflorum. See Lespedeza Sieboldi.			
DEUTZIA, Assorted. 4 to 5 ft.; heavy	50	4 00	30 00
5 to 6 ft.; heavy	75	6 00	35 00
candidissima (Double White). 2 to 3 ft	35	3 00	20 00
4 to 5 ft	50	4 00	25 00
5 to 6 ft	75	5 00	35 00
crenata, var. Pride of Rochester-			
$2 \text{ to } 2\frac{1}{2} \text{ ft.}$	35	3 00	20 00
3 to 4 ft	50	3 50	25 00
4 to 5 ft	75	5 00	35 00
crenata, var. Waterer. 2 to 3 ft	35	3 00	20 00
3 to 4 ft	50	3 50	25 00
4 to 5 ft.; very heavy 5 to 6 ft	60 75	4 00 6 00	30 00 35 00
crenata, var. Wellsi. 5 to 6 ft	75	5 00	35 00
6 to 8 ft 1	00	7 50	50 00
gracilis. Dwarf Deutzia. 12 to 15 in	35	3 00	15 00
15 to 18 in.; very heavy	50	4 00	25 00
18 to 24 in	75	6 00	35 00
24 to 30 in	00	7 50	50 00
gracilis, var. carminea. 15 to 18 in	50	4 00	25 00
18 to 24 in	75	6 00	35 00

	ich	10	100
DEUTZIA gracilis, var. rosea. $1\frac{1}{2}$ to 2 ft\$0	50	\$4 00	\$ 25 00
$2 \text{ to } 2\frac{1}{2} \text{ ft.}$	75	6 00	35 00
	00	7 50	40 00
Lemoinei. 2 to $2\frac{1}{2}$ ft.; very heavy	35	3 00	20 00
$2\frac{1}{2}$ to 3 ft.; heavy	50	4 50	35 00
Lemoinei, var. compacta. 1½ ft	25	2 00	12 50
3 to $3\frac{1}{2}$ ft	75	5 00	35 00
4 to 5 ft 1	00	7 50	50 00
parviflora. $1\frac{1}{2}$ ft	35	3 00	
scabra. 3 to $3\frac{1}{2}$ ft	35	3 00	15 00
4 to 5 ft	50	4 00	20 00
5 to 6 ft	75	6 00	30 00
DIERVILLA (Weigela) florida, var. amabilis—			
5 to 6 ft	75	5 00	40 00
florida; syn., rosea. $2 \text{ to } 2\frac{1}{2} \text{ ft.}$	35	2 50	15 00
$2\frac{1}{2}$ to 3 ft	50	4 00	20 00
3 to 4 ft	75	5 00	30 00
florida, var. candida. 3 to $3\frac{1}{2}$ ft	35	3 00	25 00
	50	4 00	30 00
4 to 5 ft	75	5 00	40 00
5 to 6 ft	10	3 00	40 00
florida nana, var. aurea variegata—	35	3 00	12 50
$1\frac{1}{2}$ to 2 ft			
4 to 5 ft	50	4 00	30 00
florida, var. Sieboldi alba, 4 to 5 ft	75	6 .00	15 00
floribunda Lavallei. $2 \text{ to } 2\frac{1}{2} \text{ ft.}$	35	3 00	15 00
3 to $3\frac{1}{2}$ ft	50	4 00	26 00
$3\frac{1}{2}$ to 4 ft	75	5 00	30 00
Japonica (syn., hortensis), var. flori-	0.5	0.00	15 00
bunda. $2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots$	35	2 00	15 00
3 to $3\frac{1}{2}$ ft	50	4 00	25 00
$3\frac{1}{2}$ to 4 ft	75	5 00	30 00
Japonica, var. Eva Rathke—			00.00
1½ to 2 ft	35	3 00	20 00
$2\frac{1}{2}$ to 3 ft	50	3 50	25 00
4 to 5 ft	75	6 00	40 00
Japonica , var. nivea. White. $2\frac{1}{2}$ to 3 ft.	50	4 00	_
$3\frac{1}{2}$ to 4 ft	75	5 00	
Japonica , var. rubra. $1\frac{1}{2}$ to 2 it	35	3 00	15 00
	00	7 50	40 00
	35	3 00	15 00
$3\frac{1}{2}$ to 4 ft	50	4 00	30 00
Grænewegeni, var. Mad. Contourier. (Hy-			00.00
	35	3 00	20 00
$3 \text{ to } 3\frac{1}{2} \text{ ft.}$	50	4 00	25 00
	75	5 00	30 00
	50	4 00	25 00
	60	5 00	30 00
	00	7 50	50 00
Grænewegeni, var. Van Houttei—			
$1\frac{1}{2}$ to 2 ft	35	2 50	15 00
	50	4 00	35 00
$4\frac{1}{2}$ to $\tilde{5}$ ft	75	6 00	40 00
	35	2 50	15 00
3 to $3\frac{1}{2}$ ft	50	4 00	25 00
5 to 7 ft 1	00	7 50	
sessifolia. 2 to 3 ft	25	2 00	17 50
$3 \text{ to } 3\frac{1}{2} \text{ ft.}$	50	3 50	25 00
	75	5 00	35 00
	35	2 00	12 50

Eac	10	100
ELÆAGNUS angustifolia. Oleaster. 4 to 5 ft\$0 3.		\$20 00
5 to 6 ft		
6 to 8 ft	6 00	
longipes; syn., edulis. Japanese Oleaster. 2 to $2\frac{1}{2}$ ft	3 00	20 00
2½ to 3 ft. Bushv		25 00
3 to 4 ft. Bushy → 1 00		30 00
4 to 5 ft. Bushy		60 00
5 to 6 ft		
EUONYMUS alatus. Cork-barked. 5 to 6 ft 5 00 6 to 7 ft 6 00		
Though little known, it is one		
of the most ornamental of flower-		
ing and fruiting shrubs. Berries		
are bright carmine.		
Americana. Strawberry Bush— $2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots \dots 2\frac{1}{2}$	2.00	15 00
$3 \text{ to } 3\frac{1}{2} \text{ ft.} \dots 3$		20 00
4 to 5 ft		25 00
Europæus. Spindle Tree. 3 to 4 ft 3		
4 to 5 ft		25 00
5 to 6 ft		30 00
EXOCHORDA grandiflora. Pearl Bush. 2 to $2\frac{1}{2}$ ft		20 00 35 00
FORSYTHIA (Golden Bell) Fortunei. 2½ ft		$\begin{array}{ccc} 15 & 00 \\ 25 & 00 \end{array}$
4 to 5 ft.; very heavy 7.		30 00
5 to 6 ft		35 00
intermedia, 2 to 3 ft		15 00
3 to 4 ft.; very heavy 50		30 00 35 00
5 to 6 ft		50 00
suspensa, 2 to 3 ft		15 00
3 to 4 ft	4 00	20 00
4 to 5 ft		30 00
5 to 7 ft.; very heavy		50 00 15 00
3 to 4 ft.; very heavy; extra		25 00
4 to 5 ft.; very heavy; extra 50		30 00
5 to 6 ft.; very heavy; extra 78	6 00	50 00
HALESIA tetraptera. 5 to 6 ft 1 00	6 00	
HAMAMELIS Japonica. Japanese Witch Hazel—		
$2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots 3$		
Virginiana. Witch Hazel. 2 to $2\frac{1}{2}$ ft 33		30 00
3 to 4 ft		50 00
5 to 6 ft.; heavy 1 00		60 00
HIBISCUS Syriacus. Althæa; Rose of Sharon-		
Boule de Feu. 3 to $3\frac{1}{2}$ ft		
Comte de Flandre. 2 to 3 ft		20 00
4 to 4½ ft		25 00 20 00
3 to 4 ft	-	25 00
Lady Stanley. 3 to $3\frac{1}{2}$ ft	4 00	25 00
4 to 5 ft		30 00
Leopoldi. 3 to 4 ft	4 00	

	Each	10	100
HIBISCUS purpureus folia marginata. 2 to $2\frac{1}{2}$ ft\$	0 35	\$3 00	\$20 00
$3 \text{ to } 3\frac{1}{2} \text{ ft.}$ rubis. New. $3 \text{ to } 3\frac{1}{2} \text{ ft.}$	50 35	4 00 3 00	$\begin{array}{cccc} 25 & 06 \\ 20 & 00 \end{array}$
totus albus. $1\frac{1}{2}$ to 2 ft.	25	2 00	17 50
2 to 3 ft	35	3 00	20 00
3 to 4 ft	50	4 00	25 00
HIPPOPHAE rhamnoides. Sea Buckthorn—	00	1 00	20 00
2 to 2½ ft	35	2 50	15 00
	35	3 00	20 00
HYDRANGEA arborescens. 1 ft	99	3 00	20 00
1½ ft.; 4-in. pot	75		
Hortensis, var. Otaska. 3-year	75		
Hortensis, var. Japonica. 1 ft	75		
paniculata. 1½ to 2 ft	35	2 50	20 00
4 to 5 ft.; very heavy	50	4 00 ·	
5 to 6 ft.; very heavy	75	6 00	
	1 00	7 50	60 00
paniculata grandiflora. $2\frac{1}{2}$ to 3 ft	35	3 00	15 00
$3 \text{ to } 3\frac{1}{2} \text{ ft.} \dots$	50	4 00	25 00
$3\frac{1}{2}$ to 4 ft	75	6 00	35 00
4 to 5 ft.; an extra heavy lot	$\begin{array}{ccc} 1 & 00 \\ 1 & 50 \end{array}$	$\begin{array}{ccc} 7 & 50 \\ 12 & 50 \end{array}$	50 00 100 00
5 to 6 ft.; bushy	1 50	12 30	100 00
quercifolia. Oak-leaved— 1 to $1\frac{1}{2}$ ft	75	6 00	50 00
HYPERICUM aureum. 18 to 24 in	35 35	3 00	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
calcinum. Aaron's Beard. 12 in hircinum. 1 to $1\frac{1}{2}$ ft	35	2 50	15 00
	50	3 50	20 00
$1\frac{1}{2}$ to 2 ft	90	0 00	20 00
10 to 12 in	35	2 50	15 00
prolificum. $2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots$	25	2 00	15 00
$2\frac{1}{2}$ to 3 ft	35	3 00	20 00
3 to $3\frac{1}{2}$ ft	50	3 50	25 00
ILEX verticillata. Winter Berry. $1\frac{1}{2}$ to 2 ft	25	2 00	17 50
$2 \text{ to } 2\frac{1}{2} \text{ ft.}$	35	3 00	25 00
$3 \text{ to } 3\frac{1}{2} \text{ ft.}$	50	4 00	30 00
ITEA Virginica. 2 ft	35	2 00	15 00
$2 \text{ to } 2\frac{1}{2} \text{ ft.}$	50	3 00	25 00
3 to 4 ft	75	6 00	50 00
JASMINUM nudiflorum. Yellow Jasmine—	25	2 00	20 00
$2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots$	35 75	3 00 5 00	35 00
3 to $3\frac{1}{2}$ ft	10	3 00	33 00
2 to $2\frac{1}{2}$ ft	35	3 00	20 00
KERRIA. See Corchorus.	00	0 00	
LESPEDEZA bicolor. 2 to $2\frac{1}{2}$ ft	35	2 50	15 00
Sieboldi; syn., Desmodium Japonicum—			
Heavy clumps	35	3 00	20 00
Heavy clumps	50	4 00	
LIGUSTRUM Amurense. Amoor Privet—			
2 to 3 ft	35	2 50	20 00
	1 00	8 50	
ciliatum. Sold by many for Ibota.	25	1 50	15 00
$2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots \dots$	25 35	$\begin{array}{ccc} 1 & 50 \\ 2 & 50 \end{array}$	15 00 20 00
$2\frac{1}{2}$ to 3 ft	50 50	3 50	25 00
$3\frac{1}{2}$ to 4 ft	75	4 00	30 00
02 00 ± 10		* 00	00 00

LIGUSTRUM Ibota. The true upright form—	Ea	ah	10		100	1
2 to 2½ ft			\$2	വ	\$15	
$2\frac{1}{2}$ to 3 ft	ФО	35		00	20	
$3 \text{ to } 3\frac{1}{2} \text{ ft.} \dots$		50		50	30	
$6 \text{ to } 8 \text{ ft.} \dots \dots \dots \dots$	1	50	12		75	
	1	00	12	50	10	00
Ibota, var. Regelianum. Regel's—		50	4	00	25	00
$1\frac{1}{2}$ to 2 ft		75		00	30	
$2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots \dots$	4	00		50	40	
2½ to 3 ft			10		75	
$4 \text{ to } 4\frac{1}{2} \text{ ft.} \dots$	1	50			30	
media. 4 to 5 ft.		75	Э	00	30	00
ovalifolium. California Privet—				00	-	
2 to $2\frac{1}{2}$ ft.; bushy (1,000, \$40 \rightarrow)		25		00		50
$2\frac{1}{2}$ to 3 ft.; bushy 1,000, \$50 \leftarrow		35		50		
$3 \text{ to } 3\frac{1}{2} \text{ ft.}; \text{ bushy } 1,000, \$60 + 1$		50		50	15	
$3\frac{1}{2}$ to 4 ft.; bushy. 1,000, \$75 $+$		60		00	25	
4 to 5 ft.; bushy		75	-	00	30	
5 to 6 ft.; bushy	-	00	6	00	35	00
Grand stock, all transplanted;						
a great deal of Privet offered by						
nurseries has never been trans-						
planted. Ours have all been. We	,					
find it gives better results.						
Sinensis. Chinese Privet. 4 to 5 ft		50	4	00		
5 to 6 ft.; beautiful, bushy stock.		75	6	00		
6 to 8 ft	1	00	7	50		
vulgaris. Common Privet. 3 to 4 ft		35	2	00	20	00
4 to 5 ft		50		00	30	
		00	-	00	50	00
LONICERA fragrantissima. Chinese Fragrant Bush		05	0	00	1 5	00
Honeysuckle. 2 to 3 ft		25		00	15	
3 to 4 ft		35		00		00
4 to 5 ft.; heavy		50	_	00	30	00
5 to 6 ft.; heavy		75	б	00		



A portion of the propagating grounds at Andorra

LONICERA Marrowi Japanese Bush Hanayayahla		10	100
LONICERA Morrowi. Japanese Bush Honeysuckle— $2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots $ \$(\$3 00	100 \$17 50
$2\frac{1}{2}$ to 3 ft	50	4 50	25 00
$3\frac{1}{2}$ to 4 ft	75	6 00	40 00
	. 00	7 50	60 00
Ruprechtiana. 2 to 3 ft	50	3 50	20 00
3 to 4 ft	75	6 00	
Standishi. Standish's Honeysuckle—			
3 to 4 ft	75		
Tatarica, assorted. 3 to $3\frac{1}{2}$ ft	35	2 50	
$3\frac{1}{2}$ to 4 ft	50	3 00	
5 to 6 ft	75 00	5 00 6 00	
6 to 8 ft.; heavy	50	4 00	25 00
5 to 6 ft	75	6 00	25 00
Tatarica, var. alba. 2 to 2½ ft	35	3 00	20 00
3 to 4 ft	50	3 50	30 00
4 to 5 ft.; heavy	00	8 50	50 00
Tatarica, var. bella albida. 3 to 4 ft	50	4 00	25 00
4 to 5 ft	75	5 00	40 00
Tatarica, var. gracilis. 2 to 3 ft	35	3 00	
3 to 4 ft	50	4 00	30 00
4 to 5 ft.	75	6 00	17 50
Tatarica, var. Chrysanthera. 2 to 2½ ft	35 50	3 00 3 50	17 50 25 00
3 to 4 ft	75	5 00	35 00
Tatarica, var. splendens. 2 to $2\frac{1}{2}$ ft	35	3 00	20 00
3 to 4 ft	50	4 00	20 00
LYCIUM Chinense. Matrimony Vine—		2 00	
2 to 2½ ft	35	2 50	20 00
$2\frac{1}{2}$ to 3 ft	50	4 00	25 00
MYRICA cerifera. Wax Myrtle. 1 to 1½ ft	35	3 00	25 00
$2 ext{ to } 2\frac{1}{2} ext{ ft.} \dots$	50	4 00	30 00
cerifera, var. pumila. 1 to $1\frac{1}{2}$ ft	50	4 00	
PAVIA parviflora. See Æsculus, under Shrubs.			
PHILADELPHUS coronarius. Mock Orange—			00
3 to 4 ft	50	4 00	25 00
4 to 5 ft	75	6 00	30 00
coronarius, var. aureus. Golden	25	2 00	
Mock Orange. $1\frac{1}{2}$ ft	35 50	3 00 4 00	
$2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots \dots$	30	# 00	
2 to 3 ft	75		
grandiflorus. $2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots$	35	3 00	17 50
3 to 4 ft	50	4 00	25 00
4 to 5 ft	75	6 00	30 00
	1 00	7 50	50 00
Lemoinei. (Hybrid). $1\frac{1}{2}$ to 2 ft	35	3 00	15 00
$2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots$	50	4 00	25 00
Lemoinei, var. erectus. 2 ft	35 50	3 00 4 00	20 00 25 00
3 to 4 ft	50	3 50	25 00
Zeyheri, var. speciosissimus—	90	0 00	20 00
2 to 3 ft	50	4 00	25 00
6 to 8 ft	75	6 00	50 00
POTENTILLA fruticosa. Shrubby Cinquefoil-			
$2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots$	35	3 00	20 00
$2\frac{1}{2}$ to 3 ft	50	3 50	25 00

PRUNUS amygdalus communis. Flowering Almond—Each 2 to $2\frac{1}{2}$ ft	10 \$5 00	100
amygdalus communis, var. rosea—	\$0 00	
$2 \text{ to } 2\frac{1}{2} \text{ ft.}$ 75	5 00	
PYRUS arbutifolia. Chokeberry. 2 to 3 ft 35	3 00	\$20 00
$3\frac{1}{2}$ to 4 ft	4 00	25 00
4 to 5 ft	5 00	30 00
RHAMNUS cathartica. Buckthorn. 3 to 4 ft. 35 4 to 5 ft. 50	3 00 3 50	$ \begin{array}{ccc} 15 & 00 \\ 20 & 00 \end{array} $
RHODOTYPUS kerrioides. White Kerria. 2 to 2½ ft. 25	2 00	15 00
$2\frac{1}{2}$ to 3 ft	3 00 4 00	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
$3\frac{1}{2}$ to 4 ft	6 00	40 00
RHUS aromatica. Fragrant Sumac. 2 to $2\frac{1}{2}$ ft 50		35 00
$2\frac{1}{2}$ to 3 ft	6 00	40 00
3 to $3\frac{1}{2}$ ft		50 00
copallina. Shining Sumac. 2 to 2½ ft 35	3 00	20 00
2½ to 3 ft	4 00 3 00	35 00 20 00
3 to 4 ft	4 00	30 00
6 to 7 ft	6 00	.35 00
Cotinus, var. atropurpurea. Purple Mist-		
$2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots 1 00$	6 00	
3 to 4 ft	9 00	17 50
RIBES aureum. Golden Currant. 3 to 4 ft. 35 4 to 5 ft. 50		17 50 20 00
Gordonianum. 2½ to 3 ft		20 00
3 to 4 ft		30 00
sanguineum, 2 to $2\frac{1}{2}$ ft	3 00	20 00
ROBINIA hispida. Rose Acacia. 2 to 2½ ft 25	2 00	15 00
RUBUS Canadensis. 3 to 4 ft	2 00	15 00
odoratus. 2 to 2½ ft	2 00	15 00
3 to 4 ft	3 00	20 00
SAMBUCUS Canadensis. 2 to 3 ft	1 50	10 60
Melanocarpus. 4 to 5 ft	6 00	
nigra, var. aurea. Golden Elder—	0 50	** 00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		15 00 25 00
3 to 4 ft		35 00
nigra, var. laciniata. Cut-leaved Elder-		
$2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots 35$		20 00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		20 00
racemosa. Red-fruited. 2 to 3 ft		15 00 20 00
5 to 6 ft		20 00
SPIRÆA arguta. 1½ to 2 ft		20 00
$2\frac{1}{2}$ to 3 ft.; heavy		25 00
Billardii. 3 to 3½ ft		25 00
$4 \text{ to } 4\frac{1}{2} \text{ ft.} \dots 50$		
Bumalda. 2 ft		
2½ ft.; heavy		

SPIRÆA Bumalda, var. Anthony Waterer— East		100
$1\frac{1}{2}$ to 2 ft\$0 2	25 \$2 00 3 00	\$20 00
	50 4 00	30 00
	75 6 00	
callosa. Fortune's Spirea. 3 to 4 ft	50 3 50	25 00
	35 3 00	20 00
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{ccc} 25 & 00 \\ 15 & 00 \end{array}$
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	20 00
	35 3 00	-0
	50 3 50	
opulifolia. 2 to 3 ft	25 2 00	15 00
3 to 4 ft	35 3 00	25 00
	50 4 00	30 00
	75 6 00	50 00
opulifolia, var. aurea. Golden-leaved—	50 4 00	25 00
	75 6 00	30 00
prunifolia flore pleno. Bridal Wreath—	, ,	
	35 3 00	
	50 4 00	30 00
Reevesiana. 2 to $2\frac{1}{2}$ ft	35 3 00	20 00
0 00 4 40000000000000000000000000000000	50 4 00 75 6 00	30 00
2 00 0 11111111111111111111111111111111	75 6 00 35 3 00	
	$\frac{5}{75}$ $\frac{5}{5}$ $\frac{00}{00}$	
	00 7 50	
	50 3 50	20 00
3 to 4 ft	75 6 00	35 00
Thunbergii. Thunberg's Spirea—	4 00	25 00
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
	$egin{array}{cccccccccccccccccccccccccccccccccccc$	00
* Will REG GEOOF = 00 = 2 10;	50 4 00	00 00
	75 6 00	
	00 7 50	
5 to 6 ft 1	50 10 00	
STAPHYLEA Colchica. Bladder Nut. 2 to 3 ft	35 3 00	
	50 4 00 75 6 00	
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
0 10 0 200 100 100 100 100 100 100 100 1	35 3 00	
	50 4 00	
	75 6 00	
STYRAX Japonica. 2 to $2\frac{1}{2}$ ft	75 - 6 00	50 00
SYMPHORICARPUS racemosus. Snowberry—	- 00	15.00
	25 2 00 3 5 3 00	
	35 3 00 50 3 50	00
$2\frac{1}{2}$ to $\mathring{3}$ ft	<i>50 5</i> 50	20 30
	35 3 00	20 00
	50 4 00	25 00
$3\frac{1}{2}$ to 4 ft.; heavy	75 6 00	
4 to 5 ft	00 7 00	40 00
SYRINGA Chinensis; syn., Rothmagensis. Rouen		00.00
Lilac. 1½ to 2 ft	35 2 50	
Japonica. 3 to 4 ft	00 8 50	

PRICE-LIST FOR SPRING OF 1908	8	45
SYRINGA Josikæa. 4 to 4½ ft	\$6 00	100
Josikæa, var. eximia. $2\frac{1}{2}$ to 3 ft 1 00	8 50	
Josikæa, var. H Zabel. $2\frac{1}{2}$ to 3 ft 75	6 00	
Perkinensis. 10 ft	4 00	\$30 00
Persica, var. alba. 3 to 4 ft. 50 4 to 5 ft. 75 Persica, var. laciniata. 2 to 2½ ft. 35	6 00	40 00
Persica, var. laciniata. 2 to $2\frac{1}{2}$ ft 35	3 00	
25 to 5 H	4 00 6 00	40 00
villosa. 3 to 4 ft	6 00	40 00
vulgaris. Common Lilac. $2\frac{1}{2}$ to 3 ft 35	3 00	
$3 \text{ to } 3\frac{1}{2} \text{ ft.}$ 50 $3\frac{1}{2} \text{ to } 4 \text{ ft.}$; very heavy 1 00	4 00 9 00	
4 to 4½ ft.: very heavy	22 50	
5 to 6 ft		
vulgaris alba. $1\frac{1}{2}$ ft 35 3 to $3\frac{1}{2}$ ft 75	$\begin{array}{cccc} 2 & 50 \\ 6 & 00 \end{array}$	20 00
3 to $3\frac{1}{2}$ ft	0 00	
alba grandiflora. Single white—		
3 to 3½ ft	6 00 3 00	50 00 $25 00$
Charles $\hat{\mathbf{X}}$. Reddish purple. 2 to $2\frac{1}{2}$ ft	6 00	50 00
4 to 5 ft	12 50	
Doctor Masters. Double lilac. 3 to 4 ft. 1 50 Edouard Andre. Rose. $4\frac{1}{2}$ to 5 ft 2 50	12 50 22 50	
Frau Bertha Dammann. Single white—	22 30	
2 to 25 it	4 00	30 00
Gloire de Moulins. Rosy lilac, 2 to 2½ ft. 1 00	9 00	
La Tour d'Auvergne. Double violet-purple. 2 ft	4 00	
Le Gaulois. Double, peach. $2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots$ 75	6 00	
3 to 3½ ft 1 00	$9 00 \\ 22 50$	
$4\frac{1}{2}$ to $\tilde{5}$ ft. 2 50 Lovaniensis. Single, pink. $2\frac{1}{2}$ to 3 ft. 1 00	9 00	
3\frac{1}{2} to 4 ft	13 50	
Mad. Lemoine. Double, white. $2 \text{ to } 2\frac{1}{2} \text{ ft.}$ 50 $2\frac{1}{2} \text{ to } 3 \text{ ft.}$ 75	$\frac{4}{6} \frac{00}{00}$	30 00 40 00
3 to 4 ft 1 50	12 50	40 00
Marie LeGraye. Single, white. 2 to $2\frac{1}{2}$ ft. 50	4 00	30 00
$2\frac{1}{2}$ to 3 ft	$\begin{array}{ccc} 6 & 00 \\ 12 & 50 \end{array}$	40 00
3½ to 4 ft	12 30	
3 to 4 ft 1 50	13 50	
4 to 5 ft 2 00 Michael Buchner. Double, pale lilac—	17 50	
$1\frac{1}{2}$ to 2 ft	6 00	
$2\frac{1}{2}$ to 3 ft	9 00	
$3 \text{ to } 3\frac{1}{2} \text{ ft.} \dots 1 50$ Matthew de Dombasle. Double, mauve—	13 50	
$2\frac{1}{2} \text{ to 3 ft.} \dots 75$	6 00	
$3\frac{1}{2}$ to 4 ft	12 50	
4 to 5 ft	6 00	
President Loubet. Double, red. 1½ to 2 ft. 75	6 00	
$2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots 1 00$	9 00	
Rubra de Marley. Single, reddish purple— $2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots \dots$	4 00	30 00
$3 \text{ to } 3\frac{7}{2} \text{ ft.} \dots 1 00$	7 50	60 00
$4 \text{ to } 4\frac{7}{2} \text{ ft.} \dots 1 50$	12 50	
5 to 6 ft	22 50	

	-					_
SYRINGA Senator Volland. Double, red. 2½ to 3 ft.	E O	ach		00	10)
Souvenir de Ludwig Spæth. Single, red.—	DU	13	\$6	UU		
1½ to 2 ft		50	4	00	\$35	00
$3 \text{ to } 3\frac{1}{2} \text{ ft.} \dots$	1	00	$\bar{7}$		400	00
$3\frac{1}{2}$ to 4 ft	1	50	12			
TAMARIX Africana: syn., parviflora. $2\frac{1}{2}$ to 3 ft		35	3	00	17	50
3 to 4 ft		50	4	00	20	00
4 to 5 ft		75	6	00	30	00
6 to 7 ft	1			50		00
Gallica, 2 to 3 ft		35		00	17	50
3 to 4 ft		50		00		00
	1	75 00		00	35	00
6 to 8 ft	1	35		00		00
3 to 4 ft		50		00	25	00
VACCINIUM corymbosum. Swamp Huckleberry—		00	_	00	20	00
1 to $1\frac{1}{2}$ ft		25	2	00	10	00
VIBURNUM acerifolium. 1 to $1\frac{1}{2}$ ft		25	1	75		00
1½ to 2 ft		$\frac{25}{35}$		50		00
cassanoides. White Rod. 1½ to 2 ft		25		00	20	(,0
$2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots$		35		00	20	00
$2\frac{1}{2}$ to $\tilde{3}$ ft		50	4	50		00
4 to $4\frac{1}{2}$ ft	1	00	7	50	50	00
dentatum. Arrow-wood. 3 to $3\frac{1}{2}$ ft		50	4	00	25	
$3\frac{1}{2}$ to 4 ft		75	6			00
4 to 5 ft.; heavy	1	00		50		00
5 to 6 ft	1	50	10			00
Lantana. Wayfaring Tree. 1½ to 2 ft		25 35		00	17	50
$3 \text{ to } 3\frac{1}{2} \text{ ft.}$ $3\frac{1}{2} \text{ to } 4 \text{ ft.}; \text{ heavy}$		50		00		00
4 to 5 ft.; heavy		75		00		00
5 to 6 ft.; very heavy	1			50		00
Lentago. Sheep-berry. 2½ to 3 ft	-	35		00		00
$3 \text{ to } 3\frac{1}{2} \text{ ft.} \dots$		50		00		00
4 to 5 ft		75	6	00	40	00
5 to 6 ft	1	00	7	50	60	00
molle. $2\frac{1}{2}$ to 3 ft		50		00	30	00
$3 \text{ to } 3\frac{1}{2} \text{ ft.}$	_	75	6		35	00
4 to 5 ft	1	00	7	50	50	00
Opulus. High Cranberry Bush—		25	0	00	90	00
$egin{array}{cccccccccccccccccccccccccccccccccccc$		35 50	3	00 50		00
$3 \text{ to } 4 \text{ ft. Fine} \dots$		50		00		00
4 to 5 ft. Fine		75		00	50	00
5 to 6 ft. Fine	1	00		50	75	00
Opulus, var. sterile. Guelder Rose—						
2 to 3 ft		35	3	00	15	00
$3 \text{ to } 3\frac{1}{2} \text{ ft.}$		50		00		00
4 to 5 ft		75	6	00	40	00
plicatum, Japanese Snowball.—		F-0		00		
$2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots$		50		00		
$2\frac{1}{2}$ to 3 ft	1	75		00	50	00
4 to 5 ft	1	00	0	00	50	00
Snowball. 4 to 5 ft.; extra fine		50	4	50	30	00
5 to 6 ft. Specimens. Fine				00		00
6 to 8 ft. Specimens. Fine				50	100	
A beautiful shrub, deserving						
extensive planting.						

VIBURNUM prunifolium. Black Haw.— Each 10	100
	\$25 00
$3 \text{ to } 3\frac{1}{2} \text{ ft.}$ 50 4 00	35 00
$3\frac{1}{2}$ to 4 ft	
4 to 6 ft	
Sieboldi. 2 to $2\frac{1}{2}$ ft	
$3 \text{ to } 3\frac{1}{2} \text{ ft.} \dots \longrightarrow 75 6 00$	00
$3\frac{1}{2}$ to 4 ft	75 00
VITEX Agnus-castus. Chaste Tree, 2 to $2\frac{1}{2}$ ft 35 3 00	20 00
XANTHOCERAS sorbifolia. $1\frac{1}{2}$ to 2 ft	
$2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots 75 6 00$	
$2\frac{1}{2}$ to 3 ft 1 00 7 50	
XANTHORRHIZA apiifolia. Shrub Yellow Root—	
12 in. In clumps 35 2 00	12 50
18 in. In clump 50 3 00	15 00
DEEDC AND CDACCEC	
REEDS AND GRASSES	
Each 10	100
ARUNDO Donax. Clumps	
BAMBUSA Mettake	
	@10 FO
	\$12 50
ERIANTHUS Ravennæ	25 00
EULALIA Japonica, and vars. variegata, gracillima	
univittata, zebrina. Clumps 50 3 50	20 00
FESTUCA glauca. 3-in. pots	1 50
PHALARIS arundinacea, var. variegata. Ribbon	12 50
Grass	12 50
Grass 25 1 50 UNIOLA latifolia 25 1 50	12 50 12 50
Grass	12 50
Grass	12 50
Grass	12 50
UNIOLA latifolia 25 1 50 VINES, CLIMBING and TRAILING PLA Each	12 50 NTS 10
UNIOLA latifolia 25 1 50 VINES, CLIMBING and TRAILING PLA ACTINIDIA polygama. 5-in.pots 80 50	12 50 NTS 10 \$3 50
Grass 25 1 50	12 50 NTS 10 \$3 50 7 50
UNIOLA latifolia 25 1 50 VINES, CLIMBING and TRAILING PLA ACTINIDIA polygama. 5-in.pots 80 50	12 50 NTS 10 \$3 50
Grass 25 1 50	12 50 NTS 10 \$3 50 7 50
Grass 25 1 50	12 50 NTS 10 \$3 50 7 50 2 50
Grass 25 1 50	12 50 NTS 10 \$3 50 7 50 2 50 3 00
Grass 25 1 50	12 50 NTS 10 \$3 50 7 50 2 50 3 00 2 00
Grass 25 1 50	12 50 NTS 10 \$3 50 7 50 2 50 3 00 2 00 3 00
Grass 25 1 50	12 50 NTS 10 \$3 50 7 50 2 50 3 00 2 00 3 00 2 00 3 00 3 00
Grass 25 1 50	12 50 NTS 10 \$3 50 7 50 2 50 3 00 2 00 3 00 2 00
Grass 25 1 50	12 50 NTS 10 \$3 50 7 50 2 50 3 00 2 00 3 00 2 00 3 00 3 00
Grass 25 1 50	12 50 NTS 10 \$3 50 7 50 2 50 3 00 2 00 3 00 2 00 3 00 2 00 3 00 2 00
Grass 25 1 50	12 50 NTS 10 \$3 50 7 50 2 50 3 00 2 00 3 00 2 00 6 00
Grass 25 1 50	12 50 NTS 10 \$3 50 7 50 2 50 3 00 2 00 3 00 2 00 3 00 2 00 6 00 7 50
Grass 25 1 50	12 50 NTS 10 \$3 50 7 50 2 50 3 00 2 00 3 00 2 00 6 00 7 50 3 00 2 00 3 00 3 00 3 00 3 00 3 00 3 0
Grass 25 1 50	12 50 NTS 10 \$3 50 7 50 2 50 3 00 2 00 3 00 2 00 6 00 7 50 3 00 2 00 6 00 7 50 3 00 2 00
Uniola Activida Activida	12 50 NTS 10 \$3 50 7 50 2 50 3 00 2 00 3 00 2 00 6 00 7 50 3 00 2 00 3 00 2 00 3 00 2 00
Grass 25 1 50	12 50 NTS 10 \$3 50 7 50 2 50 3 00 2 00 3 00 2 00 6 00 7 50 3 00 2 00 3 00 3 00 3 00 3 00 3 00 3 0

CLEMATIS coccinea. 4-in. pots	ch 25	10 \$3 00
Flammula. Sweet Clematis. 3-in. pots	75	6 00
	35	3 00
Large-flowering varieties.—Fairy Queen, Gem,		
Henryi, Jackmani, Jackmani, var. alba, Jeanne		
d'Arc, Duchess of Edinburgh, Kermesina,		
Lady Caroline Neville, Lilacina floribunda, Madame Van Houtte, Miss Bateman, Presi-		
dent+	50	4 00
	30	2 50
5-in. pots; fine DOLICHOS. See Pueraria.	50	3 50
	25	1 75
	35	2 50
	25	2 00
4-in, pots; heavyper 100, \$20	35	3 00
JASMINUM. See Deciduous Shrubs.		
LATHYRUS latifolius. Everlasting Pea	35	2 50
LONICERA Japonica. Honeysuckle. 4-in. pots	25	2 50
	35	3 00
Japonica, var. brachypoda; syn., flexuosa. Field-	35	2 00
0.000	ээ 35	3 00
Japonica, var. Chinensis. Purplish green foliage—	90	9 00
	25	2 00
	35	3 00
	$\frac{25}{35}$	2 00
	35	3 00
sempervirens, var. fuchsioides. Scarlet Trumpet—	-	0 00
	50	3 50
	35	3 00
	50 75	4 00 6 00
6-in. pots	10	0 00
Vine. In pots	00	7 50
TECOMA. See Bignonia.		
	75	6 00
	75	6 00
	50	4 00
WISTARIA Chinensis. Chinese Wistaria—		
= to o itt, mota Bromaint	50	4 00
	75 50	6 00
The state of the s	00	7 50
	75	6 00
4 to 6 ft	50	
	50	
maniful and a second a second and a second a	50 75	4 00 6 00
- 10 - 111) 11111 81111111111111111111111111	70 50	0 00
multijuga, var. alba. Field-grown	75	6 00
3 to 4 ft 1	00	7 50
4 to 6 ft\$1.50 to 2	50	

FRUIT DEPARTMENT		
APPLES, Summer—Early Harvest, Golden Sweet, Red Astra-	Each	10
chan, Summer Rambo, Sweet Bough, Tetofsky, Yellow Transparent. Autumn —Duchess of Oldenburgh, Gravenstein, Maiden's Blush, Red Bietigheimer.		
Winter—American Golden Russet, Baldwin, Belle- fleur, Fallawater, King of Tompkins County,		
Northern Spy, Rhode Island Greening, Wealthy. 5 to 7 ft.; \(\frac{3}{4} \) to 1 in. cal	§0 75	\$ 6 00
Siberian, Transcendent. 5 to 7 ft.	75	6 00
CHERRIES, Sour (Dukes and Morellos)—Early Richmond, Empress Eugenie, May Duke, Late Duke, Montmorency, 5 to 6 ft	1 00	8 50
Large Sweet (Hearts and Bigarreaus) — Black Eagle, Black Tartarian, Governor Wood, Napoleon Bigarreau, Yellow Spanish.		
5 to 6 ft	1 00	. 8 50
NUTS, American Sweet Chestnut. See under Deciduous Trees. Spanish Chestnut. See under Deciduous Trees.		
Hybrid Chestnut. Paragon, Numbo. 4 to 5 ft Japan Chestnut. 3 to 4 ft Walnut, Black. See Juglans nigra, under Deciduous Trees.	1 50 1 00	12 50
PEACHES—Belle of Georgia, Crawford's Early, Crawford's Late, Elberta, Mountain Rose, Morris White, Oldmixon Free, Stump the World, Wheatland 5 to 6 ft per 100, \$20	50	3 50
PEARS, Summer—Bartlett, Clapp's Favorite, Doyenne d'Ete. Autumn—Beurre d'Anjou, Buffum, Duchesse d' Angouleme, Howell, Kieffer's Hybrid, Lawrence. Winter—Rutter, Seckel, Sheldon, Worden-Seckel.		
5 to 6 ft. 6 to 8 ft.	2 00	8 50 15 00
PLUMS, Japanese—Abundance, Burbank, Chabot, Satsuma, Willard. 5 to 6 ft		7 50
QUINCES—Champion, Orange, Ree's Mammoth. 3 to 4 ft	75	6 00
SMALL FRUITS		
BLACKBERRIES—Eldorado, Erie, Kittatinny, Rathbun, Snyder, Wilson Juniorper 100, \$3		50
CURRANTS, R:d—Cherry, Fay's Prolific; White—White Grape; Black—Lee's Prolific	25	2 00
GOOSEBERRIES, Red—Houghton, Industry; Green—Downing, Smith's Improved	25	2 00
GRAPES, Black—Concord, Moore's Early, Warden; Red— Br.ghton, Catawba, Delaware; White— Green Mountain, Niagara. Pocklington.		
2-year Extra heavy	25 50	2 00 3 00

	Each	10
RASPBERRIES, Black—Gregg; Red—Cuthbert, Columbian		
Ruby; Yellow—Golden Queen		
per 100, \$3		\$ 0 5 0
STRAWBERRIES, Early—Bederwood, Marshall; Medium—		
Bubach, Glen Mary, Sharpless;		
Late — Brandywine, Gandy.		
Runners, per 100, \$2; per 1,000		
\$7.50. Potted plants, per 100,		
\$3 to \$4.		

ESCULENT ROOTS

ASPARAGUS—Barr's Mammoth. Per 100, \$1.50; per 1000, \$6. **RHUBARB**—Best varieties. Per 10, \$1.50; per 100, \$10.

ROSES

Potted, unless noted			
	ach	10)
AUSTRIAN BRIERS—Harrison's Yellow and Persian Yellow \$0	40	\$3	50
SWEETBRIER—Rosa rubignosa	40	3	50
HYBRIDS Penzance Briers—Amy Robsart, Anne of Geierstein,			
Brenda, Flora McIvor, Lady Penzance, Lord			
Penzance, Meg Merrilies, Minna	40	3	50
BUSH—Carolina (Swamp Rose), Rosa canina, Lucida, Lucida,			
var. alba multiflora, nitida rubrifolia (Red-leaved			
Rose), field-grown	35	3	00
CLIMBING, Prairie—Baltimore Belle, Dorothy Perkins, Prairie			
Queen, Grevillea, or Seven Sisters	40	3	50
Setigera. 2 to $2\frac{1}{2}$ ft.; field-grown	35	3	00
Ramblers—Crimson, White, Pink and Yellow, The			
Dawson (carmine)	40	3	50
EVERBLOOMING, Hybrid Teas—Captain Christy, Caroline			
Testout, Cheshunt Hybrid, Countess of			
Caledon, Duchess of Albany, Gladys			
IRISH Harkness, Kaiserin Augusta Victoria,			
GROWN La France, Madame Eugenie Boullet,			
Souvenir du President Carnot, Killar-			
ney	50	4	50
Miscellaneous—Catherine Mermet (Tea),			
Clothilde Soupert (Polyantha), Fran-			
IRISH cisca Kruger (Tea), Francis Dubreuil			
GROWN (Tea), Hermosa (China), Maman Cochet			
(Tea), Madam Ravary (Tea), Souvenir			
de la Malmaison (Bourbon), White			
Maman Cochet (Tea)	50	4	50
HYBRID PERPETUAL—Alfred Williams (carmine-red), Baro-			
ness Rothschild, Boule de Neige,			
Captain Hayward, Clio, Eugene			
Verdier, General Jacqueminot,			
IRISH Lady Helen Stewart, Louis Van			
GROWN Houtte, Madame Gabriel Luizet,			
Magna Charta, Margaret Dickson,			
Merveille de Lyon, Mrs. R. G. Shar-			
man-Crawford, Mrs. John Laing, Paul Neyron, Prince Camille de			
Rohan, Ulrich Brunner, Pride of			
Waltham	40	3	50
	40	3	
MOSS—Blanche Moreau, Crimson Globe	40	J	90

RUGOSA ROSES			100
ROSA rugosa. 1½ to 2 ft	Each	10 \$2 25	100 \$15 00
2 to 2½ ft	35	3 00	20 00
$2\frac{1}{2}$ to $\bar{3}$ ft	50	4 00	25 00
rugosa, var. alba. 1½ to 2 ft	50	4 00	25 00
rugosa Hybrids—Blanc Double de Coubert,			
Conrad F. Meyer, Madame Georges Bruant, Madam Charles Worth, Mrs. A. Waterer.			
Pot-grown	50	4 00	
WICHURAIANA ROSES			
ROSA Wichuraiana. The Trailing Rose. 1 to 2 ft	25	2 00	
2 to 3 ft. In 4-in. pots	35	3 00	25 00
Hybrids—Evergreen Gem, Gardenia, Manda's Triumph, Pink Roamer, South Orange			
Perfection, Universal Favorite. In pots	50	3 50	
SINGLE ROSES, Dickson's Hybrids-New Irish Beau-			
ty, Irish Glory, Irish Modesty.			
+	75	6 00	
HARDY HERBACEOUS P	[A]	NTS	
		1115	
ACHILLEA filipendulina (Noble Yarrow). July. Gol-	lach	10	100
den yellow. 2 ft	1 15	\$1 25	\$10 00
tember. Pink. $1\frac{1}{2}$ ft	15	1 25	
Ptarmica, The Pearl. All summer. White. 2 ft	15	1 25	10 00
tomentosum (Woolly Yarrow). June. Yellow. 1 ft.	25	2 00	
ACONITUM Fischeri (Monkshood). September and		0 50	4 = 00
October. Blue. 3 ft	35	2 50	15 00
Yellow, 3 ft	35	2 50	
ACANTHUS mollis (Bear's Breech). August and Sep-			
tember. Rose. 3 ft	35	2 50	
AJUGA Genevensis. May. Bright blue. 6 in	25	1 50	12 50
reptans rubra (Bugle). May. Purplish blue. 6 in.	25	1 50	12 50
ALTHÆA rosea (Hollyhock). July. Various colors.	0.5		40 80
4 to 6 ft	$\frac{25}{25}$	1 50 1 50	$\begin{array}{ccc} 12 & 50 \\ 12 & 50 \end{array}$
rosea, var. Allegheny Fringed	40	1 50	12 30
1 ft	35	2 50	
saxatile compactum(Golden Tuft). May and June.		_ 00	
Yellow. 1 ft	25	1 50	12 50
ANCHUSA Italica (Alkanet). May and June. Blue.			
3 to 4 ft.	25	1 50	
Italica, var. Dropmore. New	75	6 00	
2 to 3 ft.	25	1 50	12 50
Japonica, var. alba. Fall. White. 2 to 3 ft	25	1 50	12 50
Japonica, var. Queen Charlotte. Fall. Rose.			
2 to 3 ft	25	2 00	15 00
	20	2 00	15 00
Japonica, var. Lady Ardilaun. Fali. White. 2 to 3 ft.	25	2 00	15 00



Partial view of Herbaceous Plantations

ANEMONE Japonica, var. Whirlwind. Fall. Pure E	ach	10	100
white. 2 to 3 ft\$0	25	\$2 00	\$15 00
Pennsylvanicum. June and July. White. 1 to 2 ft.	25	1 50	12 50
Pulsatilla (Pasque Flower). May. Violet-purple.			
9 in	25	1 50	12 50
sylvestris. May. Pure white. 1 to 1 ½ ft	25	1 50	12 50
ANTHEMIS tinctoria (Chamomile). June to Septem-			
ber. Golden Yellow. 2 ft,	25	1 50	10 00
AQUILEGIA baicalense. May to July. Blue and white.		2 00	20 00
18 in.	25	1 50	12 50
Canadensis. (Common Columbine). May to July.	20	1 50	12 30
Scarlet and Yellow. 1 to 2 ft	25	1 50	10 00
Chrysantha. May to August. Golden Yellow. 3 ft.	25	2 00	12 50
cærulea (Rocky Mountain Columbine). May to	20	2 00	12 00
July. Blue. 18 in.	25	2 00	12 50
flabellata, var. nana alba. April to June. White.			
1 ft	25	2 00	
Haylodgensis. Hybrids of Cærulea. 2 ft	25	2 00	12 50
nivea grandiflora. April to June. White. 2 to 3 ft.	25	2 00	12 50
vulgaris fl. pl. May to July. White to blue. 1½ to			
2 ft	25	2 00	12 50
truncata. May and June. Scarlet, vellow-tipped.			
2 ft	25	2 00	° 12 50
ARABIS alpina (Rock Cress). April and May. White.			
4 in	25	1 50	10 00
alpina fl. pl. Double.	35	2 50	10 00
	-00	_ 00	
ARENARIA montana, var. grandiflora. (Sandwort).	25	1 50	12 50
May and June, White, 6 in	40	1 90	12 00

ARMERIA maritima, var. alba (Thrift). Summer. E	lach	10 \$1 50	100 \$10 00
White. 9 in	$\frac{25}{25}$	1 50	12 50
ARTEMISIA abrotanum (Old Man). Silvery white		1 00	
foliage, 2 ft	25	1 50	10 00
Stelleriana (Old Woman). Silvery foliage. 2 ft	25	1 50	10 00
ASCLEPIAS tuberosa (Butterfly Weed). July and			
August. Orange. 2 ft.	25	1 50	10 00
ASTER alpinus. June and July. Purple. 9 in	25	1 50	10 00
Amellus elegans. September and October. Blue.	95	1 50	10.00
1½ ft	25	1 50	10 00
ASTER (Michælmas Daisy) amethystinus. September and October. Amethyst. 3 to 4 ft	25	1 50	10 00
grandiflorus. October and November. Violet-	20	1 90	10 00
blue. 2 ft	35	2 50	20 00
Lady Trevelyan. September and October. White.			
3 ft	25	1 50	10 00
Madonna. September and October. White. 4 ft	25	1 50	10 00
Mrs. F. W. Rayner, September and October.	25	1 50	10 00
Reddish violet, 4 ft	20	1 30	10 00
4 ft	25	1 50	* 10 00
Novæ Angliæ, var. rubra. September and October.			
Bright rose, 4 ft	25	1 50	10 09
ptarmicoides. August and September. White.	~~		40.00
$1\frac{1}{2}$ ft	25	1 50	10 00
der 4 ft	25	1.50	10 00
der. 4 ft	25	1 50	10 00
Trinervius, October and November, Violet-pur-	20	1 00	10 00
ple. 2½ ft	25	1 50	10 00
White Queen. September and October. White.			
4 ft	25	1 50	10 00
ASTILBE Japonica (Spirea). June. White. 1½ ft	25	1 50	10 00
ASTRANTIA major (Masterwort). June and July.			
Pale pink. 1 ft.	25	2 50	20 00
AUBRIETIA Hendersoni (False Wall Cress). April.	25	1 50	12 50
Purplish violet, 4 in.	20	1 50	12 50
BAPTISIA australis (False Indigo). June and July. Dark blue. 2 ft	25	1 50	10 00
tinctoria. June and July. Bright yellow. 2 to 3 ft.	25	1 50	10 00
BELEMCANDA Chinensis; syn., Pardanthus. June.			
Orange-red. 4 ft	25	1 50	10 00
BELLIS perennis (English Daisy). May. White and			
pink. 6 to 8 in.	25	1 50	10 00
BETONICA. See Stachys.			
BOCCONIA cordata (Plume Poppy). July and August.			
White. 5 ft	25	1 50	12 50
BOLTONIA asterioides (False Chamomile). August	0.5		10.00
and September. White. 4 ft	25	1 50	10 00
4 ft	25	1 50	10 00
CALIMERIS incisa (Starwort). July to September.			
Light blue. 18 in	25	1 50	10 00

	Each	10	100
CALLIRHOË involucrata (Poppy Mallow). All sum-	0.05	\$1 50	\$10 00
mer. Rosy crimson. 1 ft	0 20	ΦT 90	\$10 00
to September. Blue. 9 in	25	1 50	10 00
- Carpatica, var. alba. June to September. White.	0.5	1 50	10.00
9 in	$\frac{25}{35}$	$\begin{array}{ccc} 1 & 50 \\ 2 & 50 \end{array}$	10 00
persicifolia (Peach Bells). June and July. Blue.	00	,,	
18 in	25	1 50	10 00
pyramidalis (Chimney Bellflower). August and	25	1 50	10 00
and September. Blue. 2 ft	25	1 50	10 00
rapunculoides. June and July. Blue. 3 ft	25	1 50	10 00
CENTAUREA montana (Perennial Cornflower). June			
and July. Dark purple. $1\frac{1}{2}$ ft,	25	1 50	
CERASTIUM tomentosum. June and July. White.	25	1 50	12 50
CERATOSTIGMA plumbaginoides (Plumbago). Octo-	20	1 00	12 00
ber and November. Blue. 6 in	25	2 00	15 00
CHELONE Lyoni (Turtlehead). August and Septem-	~ ~		
ber. Rose-purple. 2 ft	35	2 50	
obliqua, var. alba (Shell-flower). August and September. White. 2 ft	35	2 50	
CHRYSANTHEMUM leucanthemum hybridum			•
(Shasta Daisies). Alaska, California, Westralia.			
All-summer. White. 2 ft	35	2 50	15 00
maximum, var. Triumph (Moonpenny Daisy). July to October. White. 2 ft	25	1 50	12 50
Nipponicum. September and October. White. 2 ft.	35	2 50	
Pompon Varieties. Fall. All colors. $1\frac{1}{2}$ to 2 ft	25	1 50	10 00
Pompon Varieties, Heavy Stock	25	2 00	15 00
uliginosum. September. White. $2\frac{1}{2}$ ft	25	1 50	10 00
Yellow. 1 ft.	25	1 50	12 50
CHRYSOPSIS villosa (Golden Aster). September.			
Yellow, 2 ft.	25	2 00	15 00
CIMICIFUGA acerinum. August and September.	35	2 50	
White. $2\frac{1}{2}$ ft	99	2 30	
White. 2 to 3 ft	35	2 50	15 00
	25	1 50	12 50
CINERARIA. See Artemisia. CLEMATIS crispa (Leather-flower). June to Septem-			
ber. Lavender. 3 to 4 ft	25	1 50	12 50
Davidiana. August and September. Blue. Fra-			
grant. 3 ftrecta. June to August. White. Fragrant. 2 to 3 ft.	25 25	1 50 1 50	12 50 12 50
CONOCLINIUM cœlestinum (Mist-flower). September	20	1 00	12 00
and October. Deep blue. 18 in	25	1 50	12 50
CONVALLARIA majalis (Lily-of-the-Valley). May.	0.7	2 4 7	
and June. White. 6 to 9 in.	25	2 00	15 00
COREOPSIS lanceolata (Tickseed). June to October. Golden yellow. 2 ft	15	1 25	10 00
Goldon, Goldon Examination of the Control of the Co			20 00

Est Division (I. I.)	ach	1	0	100
DELPHINIUM Chinense (Larkspur). July to September. Blue. 1½ ft	25	\$1	50	\$10 00
elatum (Bee Larkspur). June to August. Blue.	25	1	50	10 00
formosum (Larkspur). June to September. Deep	25	1	50	10 00
blue. 4 ft	25	1	50	10 00
Mixed Colors 11 ft	25		50	10 00
deltoides (Maiden Pink). June. Pink. 4 in latifolius. June. Red. 1 ft	25 25		50 50	10 00 10 00
plumarius (Hardy Pinks). May and June. 1 it	25		00	15 00
Varieties: Delicata. Rose, with fringed petals.				
Delicata. Rose, with fringed petals. Laura Wilmer. White, with maroon center. Her Majesty. White. Mrs. Sinkins. White.				
Stanislaus. Violet-rose, with crimson center.				
DICENTRA eximia (Seal-flower). June to August.	0-		~0	10.00
Pink 1 ft specialis (Bleeding-heart). May and June.	25	1	50	10 00
Pink. 2 to 3 it	25	2	00	12 50
DICTAMNUS fraxinella (Gas Plant). June. Purple. 3 ft.	35	2	50	15 00
fraxinella, var. alba. June. White. 3 ft	35	$\frac{1}{2}$	50	15 00
DIGITALIS ambigua (Foxglove). July and August.	0.7	0	00	7.5 00
Pale yellow. 3 ft	25	2	00	15 00
Mixed colors. 4 to 5 ft	25	1	50	10 00
purpurea, var. gloxinæflora. June and July. Mixed colors. 4 to 5 ft.	25	1	50	10 00
DORONICUM Austriacum. April and May. Yellow.	97	0	~00	15 00
2 ft	35	2	50	15 00
Yellow. 2 ft.	35	2	50	15 00
September. Rosy purple. 3 ft	25	2	00	15 00
ERIGERON speciosus (Fleabane). June to August.		Ī	,,,	10 00
Violet-blue. 1½ to 2 ft	25	2	00	15 00
ERYNGIUM amethystinum (Sea Holly). July to September. Amethyst-blue. 2 ft	35	2	50	
EUPATORIUM ageratoides (White Snakeroot), Sep-				
tember and October. White. 3 ft	$\frac{25}{25}$	1	50 50	12 50
EUPHORBIA corollata (Spurge). July to September.	20	1	30	
White. 1½ ft	25	1	50	12 50
FEVERFEW, Little Gem. June to October. White.	25	1	50	10 00
FUNKIA Fortunei (Day Lily). July to August. Blue.	20		00	10 00
$1\frac{1}{2}$ to 2 ft	25 25	1	50 50	12 50 12 50
ovata. July to August. Deep blue. $1\frac{1}{2}$ to 2 ft subcordata, var. grandiflora. September. White.		_	30	12 00
Fragrant. 2 ft	25	2	00	15 00
August. Lilac. 1 ft	25	1	50	12 50

	ach	10	100
GAILLARDIA grandiflora (Blanket-flower). June to November. Yellow. 1½ ft	25	\$1 50	\$10 00
GALEGA officinalis (Goat's Rue). July and August.	25	1 50	10 00
Blue. 2 ft			
2 ft	25	1 50	10 00
tember. Red. $1\frac{1}{2}$ ft	25	1 50	
GEUM coccineum (Avens) . June and July. Scarlet. 1½ ft.	25	2 00	15 00
1½ ft. Heldrechi. June. Orange. 18 in montanum. June and July. Yellow. 18 in	$\frac{25}{25}$	$\begin{array}{ccc} 2 & 00 \\ 2 & 00 \end{array}$	15 00 15 00
GILLENIA trifoliata (Bowman's Root). Rose and			
white. July. 3 ft	35	2 50	
White. 2 to 3 ft	25	1 50	12 50
HELENIUM , pumilum (Sneezewort). July to October. Yellow. 1½ ft	25	1 50	10 00
autumnale, var superbum, July to October.	25	1 50	10 00
Yellow. 4 ft. grandicephalum, var. striatum. August to Octo- ber. Orange. 3 ft.			
Hoopesi, All summer. Orange-yellow. 2 ft	$\frac{25}{25}$	$\begin{array}{cccc} 2 & 00 \\ 2 & 00 \end{array}$	15 00 15 00
HELIANTHUS (Perennial Sunflowers). giganteus.	05	1 50	10.00
August to October. Pale yellow. 6 to 10 ft Maximiliana. September. Deep yellow. 6 to 8 ft.	$\frac{25}{25}$	1 50	10 00 10 00
mollis. September and October. Golden yellow.	25	1 50	10 00
4 ft. multiflorus fl. pl. July and August. Golden yel-			
low. 4 ftorgyalis. September and October. Golden yellow	25	1 50	10 00
6 ft	$\frac{25}{25}$	1 50 1 50	10 00 10 00
rigidus, var. Miss Mellish. September and Octo-			
ber. Golden yellow. 6 ft rigidus, var. Wolly Dodd. September. Deep yel-	25	1 50	10 00
low. 3 ft	25	1 50	10 00
yellow. 3 ft	25	1 50	10 00
HELLEBORUS riger (Christmas Rose). March. White	35	3 00	
6 in. niger, var. atrorubens. March. Purple. 9 in	35	3 00	
HEMEROCALLIS (Yellow Day Lily) Dumortieri. June and July. Orange-yellow. 2 ft	25	1 50	12 50
flava, June. Yellow. 2 ft	25	1 50	12 50
tawny yellow. 2\frac{1}{2} it	25	1 50	12 50
fulva, var. Kwanso fi. pl. (Double Orange Lily). July and August. Coppery yellow. 2½ ft	25	1 50	12 50
fulva, var. Thunbergii. August and September. Lemon-yellow. 2½ ft	25	1 50	12 50
HEPATICA triloba (Liverleaf). April. White and			
blue. 6 in	25	1 25	10 00
ber. Coral-red. 18 in.	25	2 00	15 00
sanguinea, var. alba. June to September. White.	25	2 00	



A field of Japanese Iris at Andorra

HIBISCUS militaris. June to September. Buff-yellow. E		10 \$2 00	100
Moscheutos (Mallow). July to September. Rose. 5 ft	25	1 50	\$ 10 00
Moscheutos, var. Crimson Eye. July to September. White. 5 ft.	25	1 50	10 00
HOLLYHOCKS. See Althæa rosea.			
IBERIS sempervirens (Candytuft). April and May.	25	1 50	10 00
White. 6 in	$\frac{25}{25}$	1 50	10 00
INULA Britannica (Fleabane). July to September. Light yellow. 2 ft	25	1 50	12 50
IRIS. For Special Descriptive Lists, consult Calendar of Ha dy Perennials.			
atroviolacea. May. Dark violet. 2 to 2½ ft	35	3 00	
cristata. April and May. Light blue. 6 in	25	1 50	12 50
Florentina. May. Tinted white. Fragrant. 1½ ft.	25	2 00	
Germanica. May. Named varieties. 1½ to 2½ ft.	25	1 50	10 00
lævigata; syn., Kæmpferi (Japanese Iris). June and July. Our selection, all colors. 2½ to 4 ft.	25	2 00	15 00
Customer's selection	35	3 00	25 00
Pallida, var. Dalmatica. June. Light blue. 3 ft.	35	3 00	25 00
Pallida, var. specios . June. Indi o-blue. 2 to 3 ft.	35	3 00	25 00
Pseudacorus. June. Yellow. 2 to 3 ft	25	2 00	15 00
pumila nova. May. Various colors. 8 to 10 in	25	1 50	12 50
Sibirica. May and June. Bright blue. 1\frac{1}{2} ft	25	1 50	10 00
Sibirica, var. alba. June. White. 2 ft. Rare +	35	3 00	25 00
Sibirica, var. orientalis. May. Deep blue. 1½ ft.	25	1 50	10 00
tectorum, May. Bright lilac. 1 ft	25	2 00	15 00

	ach	10	100
KNIPHOFIA aloides (Red-hot Poker). August and September. Crimson. 3 ft	25	\$1 50	\$12 50
obelisque. July and August. Saffron-yellow. 3 to 4 ft	35	2 50	15 0 0
scarlet. 3 to 4 ft	35	2 50	15 00
LATHYRUS latifolius, var. albus (Hardy White Pea). Summer. Climbing	25	2 00	
latifolius, var. roseus. Summer. Rose. Climbing. latifolius, var. splendens. Summer. Climbing	$\frac{25}{25}$	$\begin{array}{ccc} 2 & 00 \\ 2 & 00 \end{array}$	15 00
latifolius, var. Pink Beauty. Summer. Bright pink. Climbing	25	2 00	15 00
LAVENDULA spica (Lavender). 15 to 18 in	25	1 50	12 50
vera (Lavender). 15 to 18 in.	25	1 50	12 50
LIATRIS graminifolia (Blazing Star). August and September. Rosy purple. 2 ft	25	1 50	12 50
pycnostachya (Kansas Gay Feather). September. Rosy purple. 4 to 5 ft	25	1 50	12 50
spicata (Gay Feather). August and September. Deep purple. 3 to 4 ft	25	1 50	12 50
LILIUM Canadense (Meadow Lily). July. Shades of	25	1 50	12 50
yellow. 2 to 4 ft			
Orange-scarlet. 2 to 4 ftspeciosum, var. roseum (Japan Lily). July and	25	2 00	15 00
August. Rosy white. 2 to 4 fttigrinum (Tiger Lily). August. Salmon-red.	25	2 00	15 00
3 to 4 ft	25	1 50	12 50
LINUM Austriacum (Austrian Flax). June to August. Bluish purple. 18 in	25	1 75	
perenne (Perennial Flax). June to SeptemberClear blue. 18 in	25	1 75	
LOBELIA cardinalis (Cardinal Flower). August and September. Scarlet. 2 to 3 ft	25	1 50	12 50
syphilitica (Blue Lobelia). August and Septem-	25	1 50	12 00
LYCHNIS Chalcedonica (London Pride). July to Sep-	20	1 50	
tember. Vermilion. 2 to 3 ft	25	1 50	12 50
son. $1\frac{1}{2}$ to 2 ft	25	1 25	10 00
to 2 ft	25	1 25	10 00
Haageana. June and July. Orange-scarlet. 1½ ft. vespertina, var. alba plena (White Campion).	25	1 50	
May to September. White. 1 ft viscaria (Catchfly). June and July. Red. $1\frac{1}{2}$ ft	$\frac{25}{25}$	1 50 1 50	12 50 12 50
viscaria, var. splendens. (German Catchfly). June and July. Pink. 15 in	25	1 50	12 50
LYSIMACHIA clethroides (Loosestrife). July to Sep-			
tember. White. $1\frac{1}{2}$ ft nummularia (Moneywort). June to August.	25	1 25	10 00
Yellow. Creeping	25	1 50	10 00
July to September. Rose. 3 ft.	25	1 50	12 50
MERTENSIA pulmonarioides (Virginia Cowslip). May and June. Blue. 2 ft	25	1 50	10 00

77	1.	10	,	100
MONARDA didyma (Oswego Tea). August and Sep-	ach	10	,	100
tember. Scarlet. 2½ ft	25	\$1	50	\$10 00
tember. Scarlet. 2 ft	25	1	50	10 00
Crimson-scarlet. 2 ft	25	1	50	10 00
MYOSOTIS alpestris, var. Victoria. May and June. Light blue. 6 to 9 in	25	1	50	10 00
palustris (Forget-me-not). May and June. Light blue. Spreading	25	1	50	10 00
NEPETA glecoma, var. variegata (Ground Ivy). May. Purple. 6 in	25	1	50	10 00
ENOTHERA fruticosa, var. major (Sundrops). July Yellow. 1½ ft	25	2	00	15 00
fruticosa, var. Youngi (Young's Primrose). June.	25	1	50	12 50
Lemon. $1\frac{1}{2}$ to 2 ft	25		00	15 00
Missouriensis (Large Evening Primrose). June	25		00	15 00
and July. Yellow. 1 ft. speciosa (White Primrose). June and July. White. $1\frac{1}{2}$ ft	25	_	50	10 00
OPHIOPOGON Jaburan, var. aureus variegatus	20	1	30	10 00
(Snake's Beard). September. Blue. 6 in	50	3	50	
PACHYSANDRA procumbens (Mountain Spurge). March to May. White or purple. Spreading	25	1	50	12 50
terminalis. May and June. White. 8 in	25		50	12 50
PÆONIA. See our Calendar of Hardy Perennials for Special List.				
Chinensis, Double Varieties. Our selection. May				
and June. Chinensis, Heavy Clumps. Our selection 1	35 50	3	00 50	25 00
Chinensis, Single Varieties. Our selection	35		00	25 00
corallina, May, Single, Reddish purple	35	3	00	25 00
Moutan (Tree Peony). May and June. Different colors	00	9	00	
deep crimson	50	4	00	35 00
pink			00	
tenuifolia. Early April. Single; deep maroon tenuifolia, var. plena. Early April. Double;	50		00	
triternata. April. Single; bright red	50 35		00	25 00
PAPAVER bracteatum. June. Blood-red. 4 ft	25		00	12 50
nudicaule (Iceland Poppy). All summer. Many				
colors. 1 ft	25	1	50	10 00
let. 2 ft	25	2	00	12 50
PARDANTHUS. See Belemcanda.				
PENTSTEMON barbatus, var. Torreyi (Torrey's Beard Tongue). June to August. Scarlet. 3 to 4 ft	25	1	50	10 00
grandiflorus. June to August. Purplish blue.				
2 to 2½ ft.	25	2	00	15 00
lævigatus, var. Digitalis. July and August. White	25	2	00	
ovatus. July and August. Purplish blue. 2 to 3 ft.	25	2	00	

Lavender. 1ft	PHLOX amena. May. Bright pink. 3 to 4 in \$0 Carolina. May and June. Rosy red. 1 ft	Each 25 25	10 \$1 50 1 50	\$10 00	
See the Calendar of Hardy Perennials for Special List. All colors 25 2 00 15 00 15 00 15 00 10 00	divaricata (Wild Sweet William). May and June. Lavender. 1 ft	25	1 50	12 50	
Subulata, var. alba. May and June. White. Creeping subulata, var. atropurpurea. May and June. Purple. Creeping	See the Calendar of Hardy Perennials for Special List. All colors	25	2 00	15 00	
Subulata, var. atropurpurea. May and June. Purple. Creeping	Creeping	25	1 50	10 00	
ple. Creeping	Creeping	25	1 50	10 00	
subulata, var. Nelsoni. May and June. Pure white. Creeping 25 1 50 12 50 subulata, var. Nelsoni. May and June. Pure white. Creeping 25 1 50 40 00 PHYSOSTEGIA Virginiana (False Dragonhead). August. Deep rose. 3 ft. 25 1 50 10 00 PHYSOSTEGIA Virginiana (False Dragonhead). August. Deep rose. 3 ft. 25 1 50 10 00 Virginiana, var. alba. August. White. 3 ft. 25 1 50 10 00 PLATYCODON grandiflorum (Balloon-flower). July. Blue. 1½ ft. 25 1 50 10 00 PLATYCODON grandiflorum (Balloon-flower). July. Blue. 1½ ft. 25 1 50 10 00 PLATYCODON grandiflorum (Balloon-flower). July. Blue. 1½ ft. 25 1 50 10 00 PLATYCODON grandiflorum (Balloon-flower). July. White. 1½ ft. 25 1 50 10 00 PLATYCODON grandiflorum (Balloon-flower). July. White. 1½ ft. 25 1 50 12 <td< td=""><td></td><td>25</td><td>1 50</td><td></td></td<>		25	1 50		
white. Creeping		25	1 50	12 50	
white. Creeping 25 1 50 10 00 PHYSOSTEGIA Virginiana (False Dragonhead). August. Deep rose. 3 ft 25 1 50 10 00 Virginiana, var. alba. August. White. 3 ft 25 1 50 10 00 PLATYCODON grandiflorum (Balloon-flower). July. Blue. 1½ ft 25 1 50 10 00 PLATYCODON grandiflorum (Balloon-flower). July. Blue. 1½ ft 25 1 50 10 00 PLATYCODON grandiflorum (Balloon-flower). July. Blue. 1½ ft 25 1 50 10 00 PLATYCODON grandiflorum (Balloon-flower). July. 25 1 50 1 50 10 00 PLATYCODON grandiflorum (Balloon-flower). July. 25 1 50 1 25 1 50 12 50 1 50 12 50 12 50 12 50 12 50 12 50 12 50 12 50 12 50 12 50 12 50<	subulata, var. Nelsoni. May and June. Pure white. Creeping	25	1 50	40 00	
PHYSOSTEGIA Virginiana (False Dragonhead) August Deep rose. 3 ft	subulata, var. Model. May and June. Rosy white. Creeping	25	1 50	10 00	
August. Deep rose. 3 ft					
Virginiana, var. alba. August. White. 3 ft. 25 1 50 10 00 Virginiana, var. speciosa. August. Pink. 3 ft. 25 1 50 10 00 PLATYCODON grandiflorum (Balloon-flower). July. Blue. 1½ ft. 25 1 50 grandiflorum, var. album. July. White. 1½ ft. 25 1 50 grandiflorum, var. album. July. White. 1½ ft. 25 2 00 12 50 POLEMONIUM cœruleum (Jacob's Ladder). May to July. White. 1½ to 2 ft. 25 2 00 15 00 cæruleum, var. album., May to July. White. 1½ to 2 ft. 25 2 00 15 00 Cæruleum, var. album., May to July. White. 1½ to 2 ft. 25 2 00 15 00 cæruleum, var. album., May to July. Wellow 6 to 9 in. 25 2 00 15 00 PRIMULA acaulis (Primrose). May. Yellow 6 to 9 in. 25 1 50 12 50 staveolens (Cowslip). May. Yellow and orange. 1 ft. 25 1 50 12 50	August. Deep rose. 3 ft	25	1 50		
Virginiana, var. speciosa. August. Pink. 3 ft 25 1 50 10 00 PLATYCODON grandiflorum (Balloon-flower). July.			1 50	10 00	
PLATYCODON grandiflorum (Balloon-flower). July. Blue. 1½ ft		25	1 50		
Blue 1½ ft 25 1 50 50 50 50 50 50 50					
grandiflorum, var. album. July. White. 1½ ft. 25 1 50 grandiflorum, var. Mariesi. June to October. Blue. 1 ft. 25 1 50 12 50 POLEMONIUM cœruleum (Jacob's Ladder). May to July. Deep blue. 1½ ft. 25 2 00 15 00 cæruleum, var. album. May to July. White. 1½ to 2 ft. 25 2 00 15 00 capitata (Primrose). May. Yellow. 6 to 9 in: 25 1 50 12 50 staveolens (Cowslip). May. Yellow and orange. 1 ft. 25 1 50 12 50 veris (Polyanthus). May. Yellow and orange-crimson. 6 to 9 in. 25 1 50 12 50 vulgaris (English Primrose). May. Yellow. 6 to 9 in. 25 1 50 12 50 PYRETHRUM roseum (Feverfew). June and July. White, pink and red. ½ to 2 ft. 25 1 50 12 50 roseum fl. pl. Named varieties. 1½ to 2 ft. 35 3 00 RANUNCULUS aconitifolius fl. pl. (Crow's-foot). June White. 1½ to 2 ft. 25 1 50 10 00 roseum fl. pl. (Yellow Bachelor's Buttons). June. Yellow. 2 ft. 25 1 50 10 00 repens (Double Buttercup). May to July. Yellow 1 ft. 25 1 50 10 00 ROSMARINUS officinalis (Rosemary). Scented foliage RUDBECKIA laciniata, var. Golden Glow. July to September. Yellow. 2 ft. 25 1 50 10 00 nitida (Cone-flower). August and September.		25	1 50		
State Stat		25	1 50		
July. Deep blue. 1½ ft	grandiflorum, var. Mariesi. June to October.	25	1 50	12 50	
cæruleum, var. album., May to July. White. 1½ to 2 ft. 25 2 00 PRIMULA acaulis (Primrose). May. Yellow. 6 to 9 in. 25 1 50 12 50 capitata (Primrose)., Deep lilac. 9 in. 25 1 50 12 50 staaveolens (Cowslip). May. Yellow and orange. 25 1 50 12 50 veris (Polyanthus). May. Yellow and orange-crimson. 6 to 9 in. 25 1 50 12 50 vulgaris (English Primrose). May. Yellow. 25 1 50 12 50 PYRETHRUM roseum (Feverfew). June and July. White, pink and red. ½ to 2 ft. 25 1 50 12 50 PYRETHRUM roseum (Feverfew). June and July. White, pink and red. ½ to 2 ft. 25 1 50 10 00 roseum fl. pl. Named varieties. ½ to 2 ft. 25 1 50 10 00 RANUNCULUS aconitifolius fl. pl. (Crow's-foot). 25 1 50 repens (Double Buttercup). May to July. Yellow 25 1 50 repens (Double Buttercup). May to July. Yellow 25 1 50 repens (Double Buttercup). May to July to September. Yellow. 8 ft. 25 1 50 RUDBEC	POLEMONIUM cœruleum (Jacob's Ladder). May to				
PRIMULA acaulis (Primrose). May. Yellow. 6 to 9 in. capitata (Primrose)., Deep lilac. 9 in	July. Deep blue. $1\frac{1}{2}$ ft	25	2 00	15 00	
PRIMULA acaulis (Primrose). May. Yellow. 6 to 9 in. capitata (Primrose)., Deep lilac. 9 in	cæruleum, var. album., May to July. White.				
capitata (Primrose). Deep lilac. 9 in. 25 1 50 12 50 staveolens (Cowslip). May. Yellow and orange. 1 ft. 25 1 50 12 50 veris (Polyanthus). May. Yellow and orange-crimson. 6 to 9 in. 25 1 50 12 50 vulgaris (English Primrose). May. Yellow. 25 1 50 12 50 PYRETHRUM roseum (Feverfew). June and July. White, pink and red. 1½ to 2 ft. 25 1 50 10 00 roseum fl. pl. Named varieties. 1½ to 2 ft. 35 3 00 RANUNCULUS aconitifolius fl. pl. (Crow's-foot). June White. 1½ to 2 ft. 25 1 50 acris fl. pl. (Yellow Bachelor's Buttons). June. Yellow. 2 ft. 25 1 50 repens (Double Buttercup). May to July. Yellow 1 ft. 25 1 50 ROSMARINUS officinalis (Rosemary). Scented foliage RUDBECKIA laciniata, var. Golden Glow. July to September. Yellow. 8 ft. 25 1 25 1 50 Newmani. August and September. Yellow. 1½ ft. 25 1 50 10 00 <td colspan<="" td=""><td>$1\frac{1}{2}$ to 2 ft</td><td>25</td><td>2 00</td><td></td></td>	<td>$1\frac{1}{2}$ to 2 ft</td> <td>25</td> <td>2 00</td> <td></td>	$1\frac{1}{2}$ to 2 ft	25	2 00	
Staveolens (Cowslip). May. Yellow and orange. 1 ft	PRIMULA acaulis (Primrose). May. Yellow. 6 to 9 in:				
1 ft	capitata (Primrose)., Deep lilac. 9 in	25	1 50	12 50	
veris (Polyanthus). May. Yellow and orange-crimson. 6 to 9 in. 25 1 50 12 50 vulgaris (English Primrose). May. Yellow. 6 to 9 in. 25 1 50 12 50 PYRETHRUM roseum (Feverfew). June and July. White, pink and red. 1½ to 2 ft. 25 1 50 10 00 RANUNCULUS aconitifolius fl. pl. (Crow's-foot). June White. 1½ to 2 ft. 25 1 50 acris fl. pl. (Yellow Bachelor's Buttons). June. Yellow. 2 ft. 25 1 50 repens (Double Buttercup). May to July. Yellow 1 ft. 25 1 50 ROSMARINUS officinalis (Rosemary). Scented foliage RUDBECKIA laciniata, var. Golden Glow. July to September. Yellow. 8 ft. 25 1 50 Newmani. August and September. Yellow. 1½ ft. 25 1 50 10 00 nitida (Cone-flower). August and September.	suaveolens (Cowslip). May. Yellow and orange.	~ =	4 80		
crimson. 6 to 9 in	1 ft	25	1 50.	12 50	
vulgaris (English Primrose). May. Yellow. 6 to 9 in. 25 1 50 12 50 PYRETHRUM roseum (Feverfew). June and July. White, pink and red. 1½ to 2 ft. 25 1 50 10 00 roseum fl. pl. Named varieties. 1½ to 2 ft. 35 3 00 RANUNCULUS aconitifolius fl. pl. (Crow's-foot). June White. 1½ to 2 ft. 25 1 50 acris fl. pl. (Yellow Bachelor's Buttons). June. Yellow. 2 ft. 25 1 50 repens (Double Buttercup). May to July. Yellow 1 ft. 25 1 50 10 00 ROSMARINUS officinalis (Rosemary). Scented foliage 25 1 50 10 00 RUDBECKIA laciniata, var. Golden Glow. July to September. Yellow. 8 ft. 25 1 25 10 00 Newmani. August and September. Yellow. 1½ ft. 25 1 50 10 00 nitida (Cone-flower). August and September.		or.	1 50	10 50	
6 to 9 in		20	1 30	12 50	
PYRETHRUM roseum (Feverfew). June and July. 25 1 50 10 00 White, pink and red. 1½ to 2 ft. 35 3 00 RANUNCULUS aconitifolius fl. pl. (Crow's-foot). June White. 1½ to 2 ft. 25 1 50 acris fl. pl. (Yellow Bachelor's Buttons). June. Yellow. 2 ft. 25 1 50 repens (Double Buttercup). May to July. Yellow. 1 ft. 25 1 50 ROSMARINUS officinalis (Rosemary). Scented foliage 25 1 50 RUDBECKIA laciniata, var. Golden Glow. July to September. Yellow. 1½ ft. 25 1 25 10 00 Newmani. August and September. Yellow. 1½ ft. 25 1 50 10 00 nitida (Cone-flower). August and September.		25	1 50	12 50	
White, pink and red. 1½ to 2 ft		20	1 50	12 00	
roseum fl. pl. Named varieties. 1½ to 2 ft		25	1 50	10.00	
RANUNCULUS aconitifolius fl. pl. (Crow's-foot). June White. 1½ to 2 ft				10 00	
White. 1½ to 2 ft					
acris fl. pl. (Yellow Bachelor's Buttons). June. Yellow. 2 ft. 25 1 50 repens (Double Buttercup). May to July. Yellow 1 ft. 25 1 50 10 00 ROSMARINUS officinalis (Rosemary). Scented foliage 25 1 50 RUDBECKIA laciniata, var. Golden Glow. July to September. Yellow. 8 ft. 25 1 25 1 0 00 Newmani. August and September. Yellow. 1½ ft. 25 1 50 10 00 nitida (Cone-flower). August and September.	White 1½ to 2 ft.	25	1 50		
Yellow. 2 ft. 25 1 50 repens (Double Buttercup). May to July. Yellow 25 1 50 1 ft. 25 1 50 10 00 ROSMARINUS officinalis (Rosemary). Scented foliage 25 1 50 RUDBECKIA laciniata, var. Golden Glow. July to 25 1 25 10 00 Newmani. August and September. Yellow. 1½ ft. 25 1 50 10 00 nitida (Cone-flower). August and September.	acris fl. pl. (Yellow Bachelor's Buttons). June.				
repens (Double Buttercup). May to July. Yellow 1 ft. 25 1 50 10 00 ROSMARINUS officinalis (Rosemary). Scented foliage 25 1 50 RUDBECKIA laciniata, var. Golden Glow. July to September. Yellow. 3 to 10 00 Newmani. August and September. Yellow. 1 to 25 1 25 1 0 00 nitida (Cone-flower). August and September.		25	1 50		
ROSMARINUS officinalis (Rosemary). Scented foliage 25 1 50 RUDBECKIA laciniata, var. Golden Glow. July to September. Yellow. 8 ft	repens (Double Buttercup). May to July. Yellow				
RUDBECKIA laciniata, var. Golden Glow. July to September. Yellow. 8 ft	1 ft	25	1 50	10,00	
September. Yellow. 8 ft		25	1 50		
Newmani. August and September. Yellow. 1½ ft. 25 1 50 10 00 nitida (Cone-flower). August and September.	RUDBECKIA laciniata, var. Golden Glow. July to	0.5		40.00	
nitida (Cone-flower). August and September.					
Pale yellow. 5 ft	Newmani. August and September. Yellow. 1½ ft.	25	1 50	10 00	
	nitida (Cone-flower). August and September. Pale yellow. 5 ft.	25	1 50	10 00	

SALVIA argentea. June. White, white foliage. 2 ft \$6 Caucasicum. July and August. Reddish purple.	Each 25	10 \$1 50	100 \$10 00
3 ft	25	1.50	10 00
pratensis (Meadow-sage). June to September.			200
Deep blue. 2 to 3 ft	25	1 50	10 00
SANGUINARIA Canadensis (Bloodroot). White.	0.5	7 70	10.00
April. 6 in.	25	1 50	10 00
SANTOLINA incana (Lavender Cotton). July. Deep yellow. 1 ft	25	1 50	10 00
SAXIFRAGA cordifolia (Rockfoil). April to June.	20	1 00	10 00
Rosy purple. 15 in.	25	2 00	15 00
SCABIOSA Caucasica (Mourning Bride). Lavender-			
blue. June. 15 to 18 in	35	2 50	15 ()()
SEDUM acre (Golden Moss). May and June. Yellow.	0 =		** ***
Spreading	25 25	1 25 1 25	10 00
album, July, White, 4 to 6 in. Rhodiola, August, Light pink, 1 ft	$\frac{25}{25}$	1 25	10 00
sexangulare (Stonecrop). June and July. Yellow.	20	1 200	10 00
6 in	25	1 25	10 00
spectabile (Brilliant Stonecrop). September and			
October. Rose. 12 to 15 in.	25	2 00	15 00
spectabile, var. atropurpurea. September and	25	0.00	1= 00
October. Purplish crimson. 15 intelephoides. July and August. Pink. 1 ft	25 25	2 00 2 00	15 00 15 00
SENECIO clivorum. Summer. Yellow. 3 ft.	35	2 50	15 00
pulcher (Groundsel). July to October. Rosy	90	2 50	10 00
purple. $1\frac{1}{2}$ to 2 ft	25	1 50	
SILENE Pennsylvanicum (Wild Pink). April and			
May. Rose or white. 9 in	25	1 25	10 00
SMILACINA racemosa (False Solomon's Seal). April.	2=		
White. $1\frac{1}{2}$ ft	25	1 50	
SPIRÆA (Goat's Beard, or Meadowsweet) aruncus. June and July. White. 4 to 5 ft	35	2 50	15 00
filipendula fl. pl. June and July. White. 2 ft	25	1 50	12 50
lobata, July. Pink. 3 to 4 ft.	25	2 00	15 00
palmata. June and July. Deep crimson. 2 ft	25	2 00	15 00
palmata, var. elegans. June and July. White;			
crimson anthers. 3 ft	25	2 00	
Ulmaria. June and July. White. 3 ft	25	2 00	
venusta. June and July. Deep pink. Fragrant.	25	2 00	
STACHYS Betonica; syn., Betonica rosea. July and	-0	. 00	
August. Rose. 1 ft.	25	1 50	12 50
STATICE Tatarica (Sea Lavender). June to August.			
Red. 15 to 18 in	25	1.50	1() ()()
latifolia (Great Sea Lavender). July and August.			10.00
Deep blue. 2 ft.	25	1 .50)	10 00
STOKESIA cyanea (Stokes' Aster). July to October.	25	2 ()()	15 00
Lavender. 1½ ft	.5()	3 50	10 00
	.,.,	.,,	
TANACETUM globiferum (Tansy). August. Gelden vellow. 3 ft	2.5	1 50	10 00
, and it out the term of the t			

	ach	10	100
THALICTRUM adiantifolium (Meadow Rue). June. Yellow. 18 in	25	\$1 50	\$1 0 00
aguilegifolium (Feathered Columbine), June,	20	φ1 00	Ψ10 00
White. 2 to 4 ft	25	1 50	
polyganum (Tall Rue). June. White. 3 to 4 ft	25	1 50	
purpurascens. June to August. Purple. 3 to 4 ft.	25	1 50	
THERMOPSIS Caroliniana. June. Yellow. 3 to 4 ft mollis. May to July. Yellow. 2 to 3 ft	$\begin{array}{c} 25 \\ 25 \end{array}$	1 50 1 50	
THYMUS montanus, var. coccineus (Scarlet Thyme).	0.5	1 50	
May. Bright red. 4 invulgaris (Common Thyme). May. Lilac. 1 to 2 ft.	$\frac{25}{25}$	1 50 1 25	
TRADESCANTIA Virginiana (Spiderwort). June and	20	1 20	
July. Purple. 2 ft	25	1 50	12 50
Virginiana, var. alba. June and July. White. 2 ft.	25	1 50	12 50
TRILLIUM erectum (Wake Robin). March and April.			
Purple. 9 to 12 in.	25	1 50	
Purple. 9 to 12 in. grandiflorum (Wood Lily). March and April. White. 9 to 12 in	25	1 50	
	20	1 50	
TROLLIUS Europæus (Globe-flower). May to August. Yellow. 2 ft	25	1 50	12 50
VALERIANA coccinea (Valerian). June to October.		1 00	
Reddish. 2 ft	25	1 50	10 00
officinalis (Hardy Heliotrope). June and July.			40.00
Rose-pink. 2 ft.	25	1 50 1 50	10 00
rubra. June to October. Red. 2 ft.	25	1 50	10 00
VERBASCUM Olympicum (Mullein). July to September. Yellow, 6 ft	25	1 50	12 50
VERNONIA Arkansana (Ironweed). August to Octo-	20	1 00	12 00
ber. Red. 5 ft	25	2 00	
Baldwini. August to October. Purple. 4 ft	25	2 00	
VERONICA longifolia, var. rosea (Speedwell). July			
to October. Rose. 1½ ft	25	1 50	
longifolia, var. subsessilis. August to November. Deep blue. 1½ to 2 ft rupestris (Rock Speedwell). June and July. Blue	25	2 00	15 00
rupestris (Rock Speedwell). June and July. Blue	20	2 00	10 ,00
Spreading	25	1 50	10 00
spicata. June to September. Bright blue. $1\frac{1}{2}$ ft	25	1 50	10 00
Virginica. August to September. White. 4 ft	25	1 50	10 00
VINCA minor (Periwinkle). May. Bright blue.	05	1 50	10.00
Spreading.	25	1 50	10 00
VIOLA pedata, var. bicolor (Bird's-foot Violet). May. Purple and white. 4 in	25	1 50	12 50
Mixed	25	1 25	10 00

A CALENDAR OF PERENNIALS

This booklet, in a new revised edition, with monthly lists, and special lists of Phlox, Iris, Peonies and Chrysanthemums, will be found valuable in arranging hardy gardens.

FERNS

ADIANTUM pedatum (Maidenhair Fern). 1 to 2 ft. Moist, shaded positions.

ASPIDIUM acrostichoides (Christmas Fern). 1 to 2 ft. Evergreen. Dry or moist soils in shady places.

Falix mes (Maid Fern) 2 ft. Somi shaded positions dry or moist soils.

moist soils in shady places.
Felix-mas (Male Fern). 2 ft. Semi-shaded positions, dry or moist soils.
Goldianum. 2 to 4 ft. Semi-shaded positions, dry or moist soils.
marginale. Evergreen. 1 to 2 ft. Shaded positions, dry or moist soils.

marginale. Evergreen. 1 to 2 ft. Shaded positions, dry or moist soils.

ASPLENIUM Filix-fœmina (Lady Fern). 2 to 3 ft. Open or shaded positions, in moist or dry soils.

BOTRYCHIUM Virginianum (Moonwort). 6 to 12 in. Shaded positions, moist or dry soils.

DICKSONIA punctilobula (Boulder Fern). 2 to 3 ft. For open positions; forms large plantations.

ONOCLEA sensibilis (Sensitive Fern). 1 to 2 ft. For open planting and wet soils.
 Struthiopteris (Ostrich Fern). 2 to 4 ft. For open positions, dry or moist

soils.

OSMUNDA gracilis (Flowering Fern). 2 to 4 ft. Open or shaded positions,

OSMUNDA gracilis (Flowering Fern). 2 to 4 ft. Open or shaded positions, and moist soils.
Claytoniana. 2 to 5 ft. For open plantings, dry or moist soils.

cinnamomea (Cinnamon Fern). 2 to 5 ft. For open or shaded positions, in wet soils.

WOODSIA obtusa. 6 to 12 in. Shady places, in moist soil.

WOODWARDIA angustifolia (Chain Fern), 1 ft. Open or shaded positions, in moist soils.

The above varieties, 25 cts. each, \$2 per 10, \$15 per 100. The above collection, 15 varieties \$3.

100 in 5 varieties, our selection, \$12.50.

Forsythia viridissima......39

Hibiscus Syriacus39

HEDGE PLANTS

We shall be pleased to name special prices for plants in quantity for hedging purposes.

EVERGREEN TREES

Biota orientalis 4 Picea excelsa 7 Retinospora plumosa	Retinospora plumosa aurea		
DECIDUOL	JS TREES		
Carpinus Americana. 24 Betulus. 24 Cratægus Crus-galli. 26	Cratægus Oxyacantha26Fagus sylvatica26Maclura aurantiaca28		
EVERGREEN SHRUBS			
Azalea amœna 15 Buxus sempervirens 15 sempervirens suffruticosa 16	Ilex crenata microphylla		
DECIDUOUS SHRUBS			
Acanthopanax spinosa	Hippophae rhamnoides 40 Ligustrum Ibota, Regelianum, ovalifolium, vulgare 41		

Lonicera Tatarica 42

OUR CATALOGS

THE ANDORRA HANDBOOK. Planters who desire a complete descriptive list will be supplied with our Handbook of Trees and Plants for 50 cents, which will be credited upon their first purchase amounting to \$5.

ANDORRA'S HANDBOOK will serve as a standard guide, being up-to-date in nomenclature, and containing conservative descriptions of a vast list of trees and plants, with hints on planting, pruning and caring for them. It is illustrated and fully indexed.

- PRICE-LISTS are issued semi-annually. Owing to our large output, and the changes in sizes of stock by reason of each season's growth, frequent revisions of the PRICE-LIST are necessary, to keep customers thoroughly posted on the stock we offer. You are always sure your order will be filled if you find the items in the current season's PRICE-LIST.
- MORE SPECIALTIES, a booklet of 32 pages, describing and illustrating a large number of very choice things for the country home. A great help in deciding upon just the right thing to plant.
- BOOKLET No. 27, BEAUTIFUL LAWNS. This little pamphlet treats of Lawn Fertilizing, and its eight pages should be carefully read by all interested in having a good lawn.
- **BOOKLET No. 28, BOXWOOD.** For formal gardens and in connection with architectural effects, **BOXWOOD** is now absolutely necessary. This booklet shows the different forms we offer.
- BOOKLET No. 30, HINTS FOR SUCCESSFUL PLANTING. Does not aim to cover every point that may arise, but it gives the principles in such a way that any one, by following its directions, can secure the best results.
- BOOKLET No. 33-26, A CALENDAR OF HARDY PERENNIALS. with special lists of Iris, Phlox, Peonies and Chrysanthemums. This little booklet gives a complete list of Perennials, and shows in tabulated form their height, color, and months of bloom; invaluable to those planning herbaceous gardens.

MEASURING TREES AND SHRUBS

All trees and shrubs are measured as they stand in the Nursery before digging. In evergreen trees and in evergreen and deciduous shrubs, the height is taken from the ground to the top of the plant.

Deciduous trees are measured from the ground to the top of the head, and the caliper or diameter of the trunk is taken above the collar. Measurements are expressed thus: 10 to 12 ft. (height), $2\frac{1}{2}$ to $2\frac{3}{4}$ in. (caliper).

DEPARTMENTS

PAGE	PAGE
Fertilizers	Vines and Climbing Plants47
General Instructions and Terms 3	Fruit and Small Fruits49, 50
	Roses50
	Herbaceous Plants
Deciduous Trees	
Deciduous Shrubs	Hedge Plants63
Reeds and Grasses	Catalogs64

INDEX

	INDLA	
PAGE -	PAGE	PAGE
Aaron's Beard40	Baby's Breath	Catalpa 24
Abelia33	Baccharis	Ceanothus36
		Cedar
Abies 4	Bambusa47	
Acanthus	Baptisia53	Cedrela
Acanthopanax33	Barberry35	Cedrus 5
Acer	Basswood32-33	Celastrus
Achillea	Beard Tongue 59	Celtis
Aconitum51	Bear's Breech51	Cephalanthus36
Actinidia	Beauty-fruit	Cephalotaxus 5
Adam's Needle 20	Beech	Cerastium 54
Adiantum	Belemcanda53	Cerasus
Æsculus23, 33	Bell-flower 54	Ceratostigma, 54
Ailanthus23	Bellis	Cercidiphyllum25
Ajuga51	Benzoin	Cercis
Akebia	Berberis	Chamædaphne16
Alder	Betonica. See Stachys.	Chamomile52
Allspice, or Sweet Shrub 35	Betula24	Chaste Tree 47
Alnus23	Bignonia47	Chelone54
Althæa (see, also, Hibis-	Balloon-flower60	Cherries
cus)39, 40, 51	Biota4,5	Cherry
Alum Root		Chestnut24, 49
Alvssum	Birch	Chi Ali T 92
	Bittersweet47	Chinese Angelica Tree 23
Amelanchier23, 33	Black Alder	Chinese Arborvitæ 5
Amorpha34	Blackberries49	Chinese Cork Tree 29
Ampelopsis	Black Haw 47	Chionanthus 36
Amygdalus. See Prunus.	Black Walnut27	Chokeberry43
Anchusa	Bladder Nut44	Christmas Rose56
Andromeda (see, also,	Bladder Senna	Chrysanthemum54
Oxydendrum) 15, 23	Blanket-flower 55	Chrysogonum54
Anemone	Blazing Star 58	Chrysopsis54
Anthemis	Bleeding Heart 55	Cimicifuga
Apples	Blue Spirea35	Cineraria. See Artemisia.
Aquilegia52	Bocconia53	Cinquefoil42
Arabis	Boltonia	Cladrastris
Aralia 23	Botrychium63	Clematis
Arborvitæ4, 5, 13	Box 15-16	Clethra
Arenaria52	Bridal Wreath 44	Columbine
Aristolochia	Broussonetia24	Colutea
Armeria53	Buckthorn	Comptonia
Aronia. See Pyrus .	Butterfly Weed53	Cone-flower
Arrow-wood	Buttonwood 30	
		Conoclinium54
Artemesia53	Buxus 15-16	Convallaria54
Arundo	Calimeris53	Coral Berry44
Asclepias	Callicarpa35	Corchorus36
Ash 27, 32	Callirhoe54	Coreopsi
Asparagus50	Calycanthus35	Cornus 25, 36, 37
Aspidium	Campanula54	Corylus37
Asplenium63	Candytuft	Cotoneaster16, 37
Aster53	Caragana35	Crab Apples30
Astilbe53	Cardinal-flower58	Cranberry Bush46
Astrantia53	Carpinus	Cratægus 17, 25, 26
Aubrietia53	Caryopteris35	Cryptomeria 5
Azalea ,15, 34, 35	Castanea24	Cucumber Tree28

PAGE	PAGE	PAGE
Cupressus12	Gleditschia27	Kniphofia58
Cupressus	Cl. 1 d	
Currant	Globe-flower	Kœlreuteria27
Cydonia 37 Cypress 9, 12, 32 Cytisu 27, 37	Goat's Beard	Kudzu Vine48
Cypress	Gold-flower	Larch
Cytisu	Golden Bell39	Larix
	Golden Chain26	Larkspur 54
Day Lily .55-56 Daphne .17 Deciduous Shrubs .33-47 Deciduous Trees .20-33 Dalphinium .55	Colden Tuff	Larkspur
Day Lily	Golden Tuft 51 Glyptostrobus. See Tax-	Lathyrus48, 38
Daphne	Glyptostrobus. See Tax-	Laurel16-17
Deciduous Shrubs 33-47	odium.	Lavandula58
Deciduous Trees 20–33	Gooseberries 49	Laurel 16-17 Lavandula 58 Lavender 58 Lavender-cotton 61
Delphinium55	Grapes	Lavender-cotton 61
Delphinium	Grapes	Lespedeza40
podoza 27	Cuelder Pess	Liatris58
D pedeza	Guelder Rose46	
Deutzia	Gymnocladus27	Ligustrum40-41
Dianthus	Gypsophila	Lilac
Dicentra	Halesia	Lilium58
Dicksonia	Hamamelis	Lily-of-the-valley54 Linden32-33
Dictamnus	Hardy Roses 50-51	Linden 39-33
Diervilla38	Hawthorn	Linum58
	tr1	Timil
Digitalis	Hazel	Liquidambar28
Diospyros	Hedera48	Limodendron28
Diospyros	Hedge Plants63	Liver Leaf
Dolichos, See Pueraria.	Helenium56	Lobelia58
Doronicum55	Helianthus56	Locust
Dutchman's Pipe 47	Heliopsis	London Pride 58
Echinococ 55	Hellopsis	London 1 11de
Echinacea	Helleborus,	Lonicera41, 42, 48
Elæagnus39	Helleborus	Loosestrife
Elder	Lily	Lychnis
Elm33	Hemlock	Lycium42
Elymus	Henatica	Lysimachia58
Elymus	Hepatica	Lythrum58
English Ivy48	Houshore 56	Maclura28
	TELL:	
Erianthus47	Hibiscus 39, 40, 57	Magnolia28
Erigeron55	Heuchera	Mahonia 17 Maidenhair Tree 32 Maple 20-23
Eryngium55	Hippophae40	Maidenhair Tree32
Esculent Roots 50	Holly	Maple
Eulalia 47	Hollyhocks (see also	Matrimony Vine 42
Eulalia	Hollyhocks (see, also, Althæa)	Meadow Rue 61
Eurotorium 55	Honor Looust 97	Mondow Sweet 61
Eupatorium	Honey Locust27	Meadow Sweet 61 Mertensia 58
Euphorbia55	Honeysuckle 41, 48 Hop Tree	Mertensia
Evening Primrose59 Evergreen Shrubs15-20	Hop Tree30	Mint-flower54
Evergreen Shrubs 15-20	Hornbeam24	Mist, or Smoke Tree 43 Mock Orange42
Evergreen Thorn 17	Horse-chestnut23	Mock Orange42
Evergreen Trees 4-15	Hydrangea40	Monarda59
Everlasting Pea48	Hypericum 40	Moneywort 58
Exochorda	Typeris	Moneywort
	Theris	M. M
Fagus	11ex 5, 17, 40	Morus
Ferns 63	Inula57	Mountain Ash32
Festuca	Ims	Mourning Bride 61 Mulberry 24, 29 Myosotis 59
Feverfew	Iron Weed 62	Mulberry 24, 29
Fir 4	Ite140	Myosotis
Flame-flower58	Jacob's Ladder60	Myrica
Flowering Almond43	Japanese Maples 22-23	Negundo. See Acer Ne-
Flowering Crab30	Japan on Poster I	regulate. Dec Acer Ne-
	Japan, or Boston Ivy 27	gundo.
Forget-me-not59	Japan Cypress 9 Japan Judas 36	Nepeta
Forsythia39	Japan Judas36	Nettle Tree25
Foxgloves	Japan Quince37	Nuts
Fox Grape	Japanese Snowball 46	Nyassa
Fravinus 27	Jasmine 40	Oak 30-31
Fraxinus		Œnothera59
Funding 55	Jasminum	Old Man
Funkia55	Jersey Tea36	Old Man53
Gaillardia56	Judas Tree25	Old Woman53
Galega	Juglans	Oleaster
Gas Plant	Juneberry	Onoclea 63
Geranium	Tuninor 5	Ophiopogon 59
German Catchfly 56	Juniperus 5	Ophiopogon
Geum	Juniperus 5 Kalmia 17 Kentucky Coffee Tree 27	Oriental Poppy59
	Kantualay Coffee Tree	Orong Oronge
Gillenia56	Kentucky Conee 1 ree 27	Osage Orange 28 Osmanthus
Ginkgo32	Kerria, See Corchorus 43	Osmanthus

PAGE	PAGE	PAGE
Osmunda	Ribbon Grass47	Sweet Shrub35
Oswego Tea, or Fragrant	Ribes	Sycamore
Balm	Robinia	Symphoricarpus44
Oxydendrum29	Rock Cress52	Syringa
Pæonia	Rockfoil 61	Tanacetum61
Pachysandra59	Rose Acacia43	Tamarix
Papaver	Rose Campion58	<u>Taxodium</u>
Pardanthus. See Belem-	Rosemary60	Taxus11
_ canda.	Rose of Sharon39, 40	Tecoma. See Bignonia.
Parrotia29	Roses 50-51	Thalictrum62
Paulownia	Rosmarinus60	Thermopsis62
Pavia. See Æsculus.	Rosy Milfoil 51	Thorn
Peaches	Rubus	Thorn, Evergreen17
Pearl Bush39	Rudbeckia 60	Thrift53
Pears	Rugosa Roses51	Thuya
Pentstemon	Salisburia	Thuyopsis
Periwinkle 62	Salvia 61	Tickseed54
Persian Iron Tree	Sambucus	Tiggr Lily 50
Persica	Sandwort	Tiger Lily
Persimmon26	Sanguinaria 61	Tradescantia62
Phalaris47	Santolina	Tree of Heaven23
Phellodendron29	Saxifraga	Trillium62
Philadelphus	Scotch Broom37	Trollius 62
Phillyrea	Scabiosa	Trumpet Vine47
Phlox60	Sciadopitys	Tsuga
Physostegia	Sea Buckthorn 40	Tulip Tree
Picea	Sea Holly55	Ulmus
Pine8-9, 11	Sea Lavender61	Umbrella Tree 28
Pinks 60	Senecio	Vaccinium46
Pinus 8-9	Sedum	Valeriana62
Pinus	Sheepsberry46	Valerian 62
Platanus30	Shrub Yellow Root47	Varnish Tree 27
Platycodon60	Shrubby Cinquefoil42	Verbascum62
Plumbago54	Silene61	Vernonia
Plums	Silk Vine48	Veronica 62
Podocarpus 9	Small Fruits49	Viburnum46-47
Polemonium 60	Smilacina61	Vinca
Poplar30	Snakeroot55	Vines an Climbing
Populus 30 Poppy 53, 59 Potentilla 42	Snowball46	Plants
Poppy	Snowberry44	Viola
Daire age 50 60	Sophora	Virgina. See Claurastris.
Primrose	Speedwell	Virginia Creeper 47
Privot 40-41	Spice Bush35	Vitis
Privet	Spiderwort62	Wax Myrtle42
(Gerasus 30) 43	Spindle Tree39	Wayfaring Tree46
Pseudotsuga 9 Ptelea 30	Spiræa43, 44, 53, 61	Wairela 38
Ptelea30	Spruce	White Fringe36
Pterostyrax30	Stachys	White Fringe 36 White Rod 46 Wolf's-bane 51
Pueraria	Staphylea	Wolf's-bane51
Purple Mist	Statice	Willow32
Pyrethrum	Stephanandra45	Windflower51-52
Pyrus 30, 43	Stokesia	Winola
Quercus30, 31	Stokes' Aster61	Winter Berry40 Wistaria48
Quinces	Stonecrop	Wistaria48
Ranunculus60	Strawberries 50	Witch Hazel39
Raspberries50	Strawberry Bush 39	Woodsia
Red Bud, or Judas 25	Styrax44	Woodwardia63
Reeds and Grasses47	Sumac 31-32, 43	Xanthoceras
Retinospora 9	Sunflower	Xanthorrhiza47
Rhamnus	Swamp Huckleberry46 Sweet Fern36	Yarrow
Rhododendron	Sweet Gum28	Yellow Wood
Rhubarh 50	Sweet William54, 60	Yucca
Rhubarb	Sweet Pepper Bush36	1 4000

Plant for Immediate Effect

Not for Future Generations

Start with large stock—it has taken years of special preparation to grow such Trees and Shrubs as we offer you.

We have done the long waiting—you can secure at once specimens that will give immediate and permanent results.

As an Example

Note in this Price-List, page 21, Norway Maples, 14 to 20 ft. in height with trunks 4 to 10 in. in diameter. Specimen trees with broad tops and a system of fibrous roots that makes transplanting successful—trees that are sure to grow. Such trees simply "make your place,"

AN IMPORTANT POINT

These specimen Trees and Shrubs are Andorra-Grown—they are here at our Nurseries where you may inspect them and reserve such as suit your purpose.

ANDORRA-GROWN MEANS QUALITY
OUALITY IN TREES MEANS SUCCESSFUL PLANTING